

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	92.1	( 87.6 - 95.1 )	979	93.4	( 89.5 - 95.9 )	550	90.6	( 84.3 - 94.5 )	425
<b>Age</b>									
15 or younger	91.8	( 84.5 - 95.8 )	398	92.2	( 86.7 - 95.6 )	208	91.1	( 79.3 - 96.5 )	188
16 or 17	93.0	( 89.3 - 95.5 )	486	94.5	( 90.9 - 96.7 )	281	91.3	( 85.6 - 94.9 )	204
18 or older	-	-	94	-	-	61	-	-	33
<b>Grade</b>									
9th	90.6	( 81.2 - 95.6 )	263	90.7	( 83.9 - 94.7 )	136	90.4	( 74.6 - 96.8 )	126
10th	95.5	( 93.1 - 97.1 )	357	97.1	( 94.3 - 98.5 )	208	92.9	( 88.4 - 95.8 )	147
11th	91.6	( 85.3 - 95.3 )	201	92.5	( 85.5 - 96.2 )	119	-	-	82
12th	90.5	( 82.1 - 95.2 )	147	-	-	80	-	-	66
<b>Race/Ethnicity</b>									
Black*	89.1	( 79.2 - 94.6 )	109	-	-	59	-	-	49
Hispanic/Latino	-	-	51	-	-	32	-	-	19
White*	92.7	( 87.9 - 95.7 )	744	93.7	( 89.3 - 96.4 )	420	91.4	( 84.7 - 95.3 )	322
All other races	-	-	26	-	-	13	-	-	12
Multiple races	-	-	33	-	-	15	-	-	18

Note: There were 798 students who were excluded from the analysis for QN8.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.4	( 10.8 - 16.4 )	1,765	18.6	( 14.6 - 23.5 )	847	7.8	( 5.8 - 10.4 )	913
<b>Age</b>									
15 or younger	11.9	( 8.9 - 15.7 )	621	17.2	( 11.6 - 24.8 )	280	6.4	( 4.2 - 9.6 )	338
16 or 17	13.6	( 10.3 - 17.8 )	932	17.9	( 12.8 - 24.4 )	443	9.4	( 6.5 - 13.2 )	488
18 or older	16.6	( 10.5 - 25.4 )	211	24.5	( 15.2 - 37.0 )	124	-	-	87
<b>Grade</b>									
9th	13.1	( 9.6 - 17.7 )	383	18.1	( 12.4 - 25.6 )	185	7.5	( 4.0 - 13.8 )	196
10th	15.5	( 10.8 - 21.6 )	602	20.8	( 13.7 - 30.4 )	288	9.5	( 5.5 - 15.9 )	312
11th	12.9	( 9.3 - 17.6 )	421	17.1	( 11.9 - 24.1 )	199	8.6	( 5.1 - 14.0 )	222
12th	11.9	( 7.0 - 19.6 )	343	18.6	( 10.3 - 31.3 )	167	5.5	( 3.1 - 9.6 )	175
<b>Race/Ethnicity</b>									
Black*	17.0	( 12.5 - 22.6 )	205	-	-	91	11.1	( 6.3 - 18.7 )	113
Hispanic/Latino	-	-	93	-	-	52	-	-	41
White*	12.8	( 10.0 - 16.2 )	1,341	18.4	( 14.0 - 23.7 )	647	6.8	( 4.8 - 9.5 )	692
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 12 students who were excluded from the analysis for QN9.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.9	( 19.2 - 22.8 )	1,775	22.4	( 20.2 - 24.8 )	852	19.3	( 16.9 - 22.1 )	918
<b>Age</b>									
15 or younger	19.6	( 16.9 - 22.5 )	624	20.9	( 16.6 - 25.9 )	281	18.1	( 14.1 - 22.9 )	340
16 or 17	22.0	( 19.8 - 24.4 )	939	23.2	( 19.2 - 27.7 )	446	20.9	( 17.7 - 24.4 )	492
18 or older	20.7	( 14.9 - 28.0 )	211	23.5	( 16.2 - 32.8 )	125	-	-	86
<b>Grade</b>									
9th	22.3	( 18.2 - 27.1 )	387	24.2	( 18.2 - 31.4 )	186	20.3	( 14.3 - 28.0 )	199
10th	21.1	( 18.1 - 24.5 )	606	24.3	( 19.5 - 29.8 )	290	17.4	( 13.0 - 23.0 )	314
11th	19.2	( 16.2 - 22.4 )	422	17.2	( 13.8 - 21.3 )	199	21.1	( 15.9 - 27.5 )	223
12th	20.7	( 16.6 - 25.5 )	344	23.4	( 16.5 - 32.1 )	169	18.2	( 12.9 - 25.0 )	174
<b>Race/Ethnicity</b>									
Black*	19.8	( 14.3 - 26.6 )	207	-	-	91	19.6	( 11.8 - 30.8 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	20.6	( 18.8 - 22.6 )	1,345	22.6	( 19.9 - 25.5 )	651	18.6	( 16.1 - 21.5 )	692
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 2 students who were excluded from the analysis for QN10.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.3	( 5.8 - 9.0 )	1,731	8.5	( 6.5 - 11.2 )	817	6.0	( 4.5 - 7.9 )	910
<b>Age</b>									
15 or younger	4.6	( 3.0 - 6.8 )	606	4.9	( 2.8 - 8.4 )	268	4.3	( 2.7 - 6.7 )	336
16 or 17	7.7	( 6.2 - 9.6 )	916	8.7	( 6.4 - 11.8 )	428	6.7	( 4.8 - 9.3 )	487
18 or older	13.1	( 8.5 - 19.6 )	208	16.4	( 9.8 - 26.0 )	121	-	-	87
<b>Grade</b>									
9th	6.3	( 4.1 - 9.5 )	376	7.4	( 4.5 - 11.8 )	179	5.2	( 2.9 - 9.1 )	195
10th	4.5	( 2.8 - 7.1 )	588	5.8	( 3.4 - 9.9 )	275	3.2	( 1.6 - 6.3 )	312
11th	7.6	( 5.1 - 11.1 )	414	8.5	( 5.3 - 13.4 )	193	6.6	( 3.9 - 11.0 )	221
12th	11.2	( 8.0 - 15.5 )	338	13.9	( 8.8 - 21.2 )	163	8.7	( 5.3 - 14.2 )	174
<b>Race/Ethnicity</b>									
Black*	4.8	( 2.4 - 9.5 )	199	-	-	87	4.6	( 1.7 - 11.9 )	112
Hispanic/Latino	-	-	93	-	-	50	-	-	43
White*	7.2	( 5.6 - 9.2 )	1,320	8.8	( 6.5 - 11.9 )	629	5.5	( 4.0 - 7.7 )	689
All other races	-	-	41	-	-	18	-	-	21
Multiple races	-	-	48	-	-	18	-	-	30

Note: There were 46 students who were excluded from the analysis for QN11.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	21.7	( 18.4 - 25.4 )	1,730	33.8	( 29.5 - 38.5 )	819	9.3	( 6.7 - 12.8 )	907
<b>Age</b>									
15 or younger	21.5	( 17.6 - 25.9 )	604	33.6	( 27.7 - 40.0 )	268	9.9	( 6.4 - 15.0 )	334
16 or 17	22.6	( 18.3 - 27.5 )	919	36.1	( 30.4 - 42.3 )	431	9.3	( 6.5 - 13.1 )	487
18 or older	18.9	( 12.7 - 27.2 )	206	26.9	( 17.7 - 38.6 )	120	-	-	86
<b>Grade</b>									
9th	25.7	( 19.4 - 33.1 )	374	37.5	( 30.3 - 45.4 )	178	12.8	( 7.2 - 21.5 )	194
10th	19.6	( 16.2 - 23.5 )	590	32.1	( 26.3 - 38.5 )	278	6.6	( 4.3 - 9.9 )	311
11th	22.5	( 16.2 - 30.4 )	414	36.3	( 27.2 - 46.5 )	194	8.7	( 5.4 - 13.8 )	220
12th	18.2	( 14.5 - 22.5 )	336	28.7	( 23.0 - 35.2 )	161	8.3	( 4.9 - 13.8 )	174
<b>Race/Ethnicity</b>									
Black*	10.8	( 6.6 - 17.2 )	198	-	-	86	6.7	( 3.6 - 12.3 )	112
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	22.5	( 18.5 - 27.2 )	1,316	35.7	( 30.5 - 41.3 )	628	8.9	( 6.0 - 12.9 )	686
All other races	-	-	41	-	-	20	-	-	19
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 47 students who were excluded from the analysis for QN12.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN13: Percentage of students who carried a gun on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.6	( 5.2 - 8.3 )	1,754	11.3	( 9.1 - 13.9 )	833	1.9	( 1.0 - 3.3 )	916
<b>Age</b>									
15 or younger	6.1	( 4.2 - 8.8 )	613	10.9	( 7.6 - 15.4 )	273	1.5	( 0.4 - 4.8 )	337
16 or 17	6.9	( 4.8 - 9.8 )	927	11.9	( 8.4 - 16.5 )	435	2.0	( 0.9 - 4.1 )	491
18 or older	7.1	( 3.8 - 13.0 )	213	10.1	( 5.2 - 18.9 )	125	-	-	88
<b>Grade</b>									
9th	8.1	( 5.6 - 11.6 )	379	13.7	( 9.6 - 19.2 )	182	1.9	( 0.5 - 6.8 )	195
10th	6.2	( 4.3 - 8.7 )	599	10.8	( 7.2 - 15.9 )	283	1.3	( 0.4 - 4.2 )	314
11th	7.2	( 4.4 - 11.7 )	418	11.7	( 7.0 - 19.0 )	195	2.7	( 1.4 - 5.4 )	223
12th	4.5	( 2.5 - 7.7 )	342	7.6	( 3.9 - 14.5 )	165	1.5	( 0.5 - 4.5 )	176
<b>Race/Ethnicity</b>									
Black*	3.7	( 1.9 - 7.4 )	202	-	-	87	0.8	( 0.2 - 3.2 )	114
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	6.9	( 5.3 - 9.0 )	1,334	11.6	( 9.0 - 14.9 )	640	1.9	( 1.0 - 3.6 )	692
All other races	-	-	43	-	-	21	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 23 students who were excluded from the analysis for QN13.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.5	( 5.1 - 8.2 )	1,755	10.3	( 7.9 - 13.2 )	836	2.5	( 1.3 - 4.7 )	915
<b>Age</b>									
15 or younger	5.6	( 4.0 - 7.9 )	617	9.3	( 6.5 - 13.1 )	275	2.1	( 0.9 - 4.7 )	340
16 or 17	5.9	( 4.0 - 8.7 )	930	10.0	( 6.8 - 14.5 )	440	1.8	( 0.8 - 4.3 )	489
18 or older	11.0	( 7.0 - 16.7 )	207	13.5	( 8.2 - 21.4 )	121	-	-	86
<b>Grade</b>									
9th	5.6	( 3.6 - 8.6 )	384	8.9	( 5.4 - 14.1 )	183	2.1	( 0.8 - 5.8 )	199
10th	5.9	( 4.0 - 8.8 )	600	9.5	( 6.2 - 14.2 )	285	2.2	( 0.9 - 5.3 )	314
11th	6.5	( 4.0 - 10.3 )	417	11.5	( 6.8 - 18.6 )	197	1.3	( 0.5 - 3.8 )	220
12th	7.8	( 4.8 - 12.4 )	338	12.0	( 6.7 - 20.4 )	163	3.8	( 1.5 - 9.4 )	174
<b>Race/Ethnicity</b>									
Black*	5.1	( 2.9 - 8.9 )	200	-	-	87	4.1	( 1.8 - 9.2 )	113
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	6.2	( 4.7 - 8.0 )	1,335	10.5	( 8.0 - 13.6 )	642	1.6	( 0.7 - 3.6 )	691
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 22 students who were excluded from the analysis for QN14.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN15: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.4	( 4.1 - 7.0 )	1,764	6.4	( 4.4 - 9.2 )	848	4.3	( 2.9 - 6.4 )	912
<b>Age</b>									
15 or younger	6.7	( 4.8 - 9.4 )	621	8.5	( 4.9 - 14.3 )	281	4.9	( 2.9 - 8.4 )	338
16 or 17	4.4	( 3.1 - 6.2 )	933	4.7	( 3.0 - 7.5 )	445	4.0	( 2.3 - 6.8 )	487
18 or older	5.5	( 2.8 - 10.5 )	209	6.7	( 3.4 - 12.9 )	122	-	-	87
<b>Grade</b>									
9th	8.9	( 5.7 - 13.6 )	386	10.0	( 5.1 - 18.6 )	186	7.5	( 4.3 - 13.0 )	198
10th	3.7	( 2.2 - 6.3 )	603	4.5	( 2.3 - 8.7 )	290	2.9	( 1.5 - 5.7 )	312
11th	5.3	( 3.8 - 7.3 )	416	6.0	( 3.8 - 9.4 )	197	4.5	( 2.5 - 8.2 )	219
12th	2.7	( 1.3 - 5.6 )	343	4.0	( 1.9 - 8.2 )	167	1.6	( 0.4 - 5.7 )	175
<b>Race/Ethnicity</b>									
Black*	7.2	( 4.6 - 11.2 )	202	-	-	89	5.1	( 1.5 - 15.8 )	113
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	4.9	( 3.7 - 6.5 )	1,341	5.7	( 3.8 - 8.6 )	649	4.0	( 2.6 - 6.3 )	690
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 13 students who were excluded from the analysis for QN15.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.9	( 6.1 - 10.2 )	1,776	10.4	( 7.7 - 13.8 )	852	5.2	( 3.5 - 7.5 )	919
<b>Age</b>									
15 or younger	8.5	( 6.3 - 11.3 )	624	12.2	( 8.4 - 17.3 )	281	4.7	( 2.8 - 7.8 )	340
16 or 17	7.0	( 5.0 - 9.7 )	939	8.4	( 5.8 - 12.0 )	446	5.6	( 3.4 - 9.1 )	492
18 or older	9.5	( 5.3 - 16.3 )	212	12.6	( 7.0 - 21.7 )	125	-	-	87
<b>Grade</b>									
9th	9.2	( 5.2 - 15.7 )	387	11.9	( 6.3 - 21.5 )	186	6.2	( 3.0 - 12.3 )	199
10th	8.9	( 6.4 - 12.3 )	606	10.9	( 7.4 - 15.8 )	290	6.6	( 4.2 - 10.3 )	314
11th	6.9	( 4.3 - 10.9 )	422	10.1	( 6.2 - 16.0 )	199	3.6	( 1.6 - 8.1 )	223
12th	6.0	( 3.6 - 9.9 )	345	7.9	( 4.4 - 13.7 )	169	4.2	( 2.2 - 8.0 )	175
<b>Race/Ethnicity</b>									
Black*	8.9	( 5.6 - 13.8 )	207	-	-	91	5.4	( 2.4 - 11.9 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	7.3	( 5.3 - 9.9 )	1,346	9.7	( 6.7 - 13.9 )	651	4.8	( 3.1 - 7.3 )	693
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There was 1 student who was excluded from the analysis for QN16.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN17: Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	28.7	( 25.4 - 32.2 )	1,721	35.6	( 31.5 - 39.8 )	817	21.7	( 17.8 - 26.2 )	901
<b>Age</b>									
15 or younger	32.5	( 28.7 - 36.5 )	605	39.7	( 34.4 - 45.1 )	268	25.8	( 20.4 - 32.1 )	336
16 or 17	27.3	( 23.0 - 32.2 )	915	34.1	( 28.5 - 40.2 )	434	20.6	( 16.0 - 26.1 )	480
18 or older	23.2	( 16.7 - 31.1 )	200	30.7	( 20.4 - 43.4 )	115	-	-	85
<b>Grade</b>									
9th	34.8	( 29.4 - 40.6 )	379	42.4	( 36.7 - 48.4 )	181	26.6	( 17.9 - 37.6 )	197
10th	30.2	( 25.1 - 35.8 )	587	35.1	( 28.0 - 43.0 )	278	25.0	( 20.2 - 30.4 )	308
11th	28.0	( 23.3 - 33.2 )	408	35.3	( 28.5 - 42.7 )	190	20.7	( 15.8 - 26.7 )	218
12th	19.7	( 15.5 - 24.9 )	332	26.4	( 20.2 - 33.7 )	160	13.5	( 8.9 - 19.9 )	171
<b>Race/Ethnicity</b>									
Black*	33.0	( 26.6 - 40.2 )	193	-	-	84	27.6	( 20.8 - 35.6 )	109
Hispanic/Latino	-	-	90	-	-	48	-	-	42
White*	27.7	( 24.0 - 31.7 )	1,317	34.5	( 30.1 - 39.3 )	631	20.5	( 16.3 - 25.6 )	684
All other races	-	-	41	-	-	19	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 56 students who were excluded from the analysis for QN17.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.6	( 3.2 - 6.6 )	1,735	6.6	( 4.7 - 9.1 )	825	2.6	( 1.4 - 4.8 )	906
<b>Age</b>									
15 or younger	4.4	( 2.9 - 6.7 )	607	5.4	( 3.4 - 8.6 )	268	3.3	( 1.6 - 6.9 )	337
16 or 17	4.6	( 2.8 - 7.5 )	922	6.9	( 4.3 - 10.8 )	438	2.3	( 1.1 - 4.8 )	483
18 or older	5.3	( 2.3 - 11.7 )	205	8.1	( 3.4 - 17.9 )	119	-	-	86
<b>Grade</b>									
9th	6.9	( 4.1 - 11.4 )	380	8.5	( 5.3 - 13.4 )	180	5.1	( 2.1 - 12.1 )	198
10th	3.2	( 1.9 - 5.2 )	591	4.2	( 2.3 - 7.5 )	280	2.1	( 0.9 - 5.0 )	310
11th	4.9	( 2.9 - 7.9 )	412	7.5	( 4.2 - 13.3 )	194	2.1	( 0.8 - 5.8 )	218
12th	2.8	( 1.5 - 5.3 )	336	5.2	( 2.7 - 9.7 )	163	0.6	( 0.1 - 4.4 )	172
<b>Race/Ethnicity</b>									
Black*	3.4	( 1.9 - 6.2 )	194	-	-	84	2.5	( 1.0 - 6.0 )	110
Hispanic/Latino	-	-	91	-	-	48	-	-	43
White*	4.5	( 3.0 - 6.8 )	1,327	6.4	( 4.3 - 9.3 )	639	2.6	( 1.3 - 5.1 )	686
All other races	-	-	42	-	-	19	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 42 students who were excluded from the analysis for QN18.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN19: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.5	( 7.8 - 11.6 )	1,737	13.8	( 11.3 - 16.7 )	827	5.1	( 3.5 - 7.3 )	906
<b>Age</b>									
15 or younger	10.3	( 8.1 - 13.2 )	609	15.5	( 12.0 - 20.0 )	270	5.4	( 3.2 - 8.9 )	337
16 or 17	10.1	( 7.4 - 13.5 )	923	14.6	( 10.9 - 19.2 )	439	5.6	( 3.5 - 8.7 )	483
18 or older	4.9	( 2.5 - 9.3 )	204	7.0	( 3.1 - 14.8 )	118	-	-	86
<b>Grade</b>									
9th	13.0	( 10.5 - 15.9 )	381	18.9	( 15.7 - 22.7 )	182	6.6	( 3.7 - 11.4 )	198
10th	9.9	( 7.1 - 13.7 )	591	14.9	( 10.2 - 21.4 )	280	4.7	( 3.1 - 7.2 )	309
11th	9.9	( 6.7 - 14.5 )	412	13.4	( 8.4 - 20.6 )	193	6.4	( 3.7 - 10.9 )	219
12th	3.8	( 2.3 - 6.2 )	338	5.4	( 3.0 - 9.5 )	164	2.3	( 0.8 - 5.9 )	173
<b>Race/Ethnicity</b>									
Black*	9.9	( 5.7 - 16.5 )	200	-	-	87	5.6	( 2.8 - 11.1 )	112
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	8.8	( 7.1 - 11.0 )	1,320	13.0	( 10.5 - 16.1 )	633	4.4	( 2.9 - 6.7 )	685
All other races	-	-	42	-	-	20	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 40 students who were excluded from the analysis for QN19.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN20: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	15.5	( 13.5 - 17.6 )	1,757	15.3	( 13.2 - 17.8 )	837	15.6	( 12.4 - 19.5 )	915
<b>Age</b>									
15 or younger	13.1	( 10.4 - 16.4 )	618	13.7	( 10.7 - 17.5 )	276	12.5	( 8.6 - 17.7 )	339
16 or 17	17.1	( 14.6 - 19.8 )	927	16.2	( 12.9 - 20.1 )	437	17.9	( 14.1 - 22.5 )	489
18 or older	16.1	( 11.0 - 23.0 )	211	16.3	( 10.3 - 24.8 )	124	-	-	87
<b>Grade</b>									
9th	12.8	( 9.1 - 17.9 )	382	12.6	( 9.0 - 17.4 )	183	13.1	( 7.5 - 22.0 )	197
10th	13.3	( 10.9 - 16.2 )	603	13.9	( 11.3 - 16.9 )	287	12.8	( 9.1 - 17.8 )	314
11th	18.0	( 14.4 - 22.3 )	416	16.7	( 11.2 - 24.1 )	194	19.3	( 14.6 - 25.2 )	222
12th	18.4	( 14.8 - 22.5 )	341	18.9	( 14.1 - 25.0 )	165	17.9	( 12.2 - 25.6 )	175
<b>Race/Ethnicity</b>									
Black*	17.2	( 11.6 - 24.9 )	203	-	-	89	18.7	( 11.1 - 29.7 )	113
Hispanic/Latino	-	-	94	-	-	50	-	-	44
White*	14.8	( 12.8 - 17.0 )	1,338	15.0	( 12.8 - 17.5 )	644	14.6	( 11.5 - 18.5 )	692
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 20 students who were excluded from the analysis for QN20.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.9	( 8.2 - 11.9 )	1,751	6.4	( 4.8 - 8.5 )	838	13.6	( 10.6 - 17.4 )	908
<b>Age</b>									
15 or younger	8.8	( 6.2 - 12.4 )	616	6.4	( 4.1 - 9.9 )	277	11.2	( 7.0 - 17.5 )	336
16 or 17	10.1	( 8.2 - 12.3 )	925	5.4	( 3.5 - 8.3 )	438	14.8	( 11.4 - 19.0 )	486
18 or older	12.4	( 8.7 - 17.3 )	209	9.8	( 5.5 - 17.0 )	123	-	-	86
<b>Grade</b>									
9th	9.2	( 6.1 - 13.4 )	380	6.3	( 3.2 - 12.2 )	182	12.3	( 6.7 - 21.5 )	196
10th	8.6	( 6.5 - 11.4 )	598	5.5	( 3.2 - 9.4 )	286	12.1	( 8.3 - 17.2 )	310
11th	10.6	( 7.7 - 14.4 )	417	6.0	( 3.4 - 10.6 )	197	15.3	( 10.7 - 21.5 )	220
12th	10.5	( 7.6 - 14.2 )	340	7.1	( 4.4 - 11.4 )	165	13.7	( 8.8 - 20.8 )	174
<b>Race/Ethnicity</b>									
Black*	12.3	( 8.3 - 17.9 )	206	-	-	91	12.2	( 7.5 - 19.2 )	114
Hispanic/Latino	-	-	92	-	-	49	-	-	43
White*	9.1	( 7.2 - 11.3 )	1,328	5.4	( 3.7 - 8.0 )	641	13.0	( 9.6 - 17.3 )	685
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 26 students who were excluded from the analysis for QN21.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN22: Percentage of students who had ever been bullied on school property during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.8	( 18.3 - 23.6 )	1,772	19.7	( 16.4 - 23.5 )	849	21.9	( 19.0 - 25.0 )	918
<b>Age</b>									
15 or younger	23.7	( 20.5 - 27.2 )	623	23.8	( 19.2 - 29.2 )	280	23.1	( 19.1 - 27.7 )	340
16 or 17	19.5	( 16.4 - 23.0 )	936	17.8	( 13.4 - 23.2 )	444	21.2	( 17.3 - 25.8 )	491
18 or older	17.8	( 12.2 - 25.3 )	212	16.1	( 10.9 - 23.0 )	125	-	-	87
<b>Grade</b>									
9th	27.6	( 22.8 - 33.1 )	386	26.6	( 21.8 - 32.0 )	185	28.2	( 21.3 - 36.3 )	199
10th	19.8	( 16.4 - 23.6 )	605	19.0	( 13.1 - 26.8 )	290	20.7	( 16.2 - 26.1 )	313
11th	18.8	( 15.5 - 22.6 )	421	18.5	( 14.2 - 23.7 )	199	19.0	( 14.2 - 25.1 )	222
12th	15.7	( 11.3 - 21.5 )	344	12.7	( 7.8 - 19.9 )	167	18.7	( 13.7 - 25.2 )	176
<b>Race/Ethnicity</b>									
Black*	14.8	( 9.5 - 22.4 )	207	-	-	91	18.0	( 9.9 - 30.5 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	21.3	( 18.6 - 24.2 )	1,345	20.1	( 16.4 - 24.3 )	650	22.3	( 19.0 - 26.1 )	693
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 5 students who were excluded from the analysis for QN22.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	26.7	( 23.8 - 29.9 )	1,757	21.7	( 18.6 - 25.2 )	839	32.1	( 28.1 - 36.4 )	914
<b>Age</b>									
15 or younger	23.5	( 19.6 - 27.9 )	619	18.2	( 13.6 - 23.8 )	278	29.0	( 23.8 - 34.8 )	339
16 or 17	28.8	( 25.3 - 32.7 )	925	23.0	( 18.0 - 29.0 )	436	34.7	( 30.3 - 39.3 )	488
18 or older	27.7	( 19.7 - 37.5 )	212	25.6	( 17.7 - 35.6 )	125	-	-	87
<b>Grade</b>									
9th	26.1	( 21.2 - 31.7 )	383	20.6	( 15.3 - 27.2 )	185	32.6	( 24.9 - 41.4 )	197
10th	25.3	( 21.1 - 30.0 )	601	18.6	( 14.2 - 24.0 )	286	32.4	( 25.8 - 39.7 )	313
11th	32.0	( 28.1 - 36.2 )	416	29.5	( 23.1 - 36.7 )	194	34.6	( 28.6 - 41.0 )	222
12th	23.9	( 17.8 - 31.2 )	342	19.0	( 13.8 - 25.6 )	166	28.7	( 20.5 - 38.5 )	175
<b>Race/Ethnicity</b>									
Black*	23.0	( 19.7 - 26.8 )	202	-	-	87	29.6	( 22.9 - 37.3 )	114
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	26.6	( 23.3 - 30.1 )	1,338	21.8	( 18.6 - 25.4 )	646	31.7	( 27.1 - 36.7 )	690
All other races	-	-	43	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 20 students who were excluded from the analysis for QN23.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.6	( 12.3 - 17.2 )	1,761	12.4	( 10.2 - 15.0 )	842	16.9	( 13.6 - 20.8 )	914
<b>Age</b>									
15 or younger	15.4	( 12.3 - 19.0 )	619	11.7	( 7.7 - 17.4 )	278	19.0	( 14.3 - 24.8 )	338
16 or 17	15.3	( 12.0 - 19.4 )	930	13.7	( 9.6 - 19.4 )	440	17.0	( 13.0 - 21.8 )	489
18 or older	9.4	( 6.1 - 14.3 )	211	9.6	( 5.4 - 16.6 )	124	-	-	87
<b>Grade</b>									
9th	17.0	( 13.0 - 21.9 )	383	12.8	( 8.3 - 19.3 )	184	21.8	( 15.1 - 30.4 )	197
10th	14.7	( 11.5 - 18.7 )	602	12.3	( 8.2 - 18.1 )	287	17.3	( 13.0 - 22.5 )	313
11th	16.2	( 12.9 - 20.1 )	417	14.4	( 9.7 - 21.0 )	196	17.9	( 13.9 - 22.8 )	221
12th	9.8	( 7.0 - 13.6 )	343	9.6	( 6.4 - 14.3 )	167	10.0	( 6.2 - 15.7 )	175
<b>Race/Ethnicity</b>									
Black*	14.7	( 8.7 - 23.9 )	205	-	-	89	17.8	( 9.5 - 31.0 )	115
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	14.1	( 11.6 - 16.9 )	1,336	12.3	( 10.1 - 14.9 )	645	16.0	( 12.2 - 20.6 )	689
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 16 students who were excluded from the analysis for QN24.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.5	( 10.2 - 15.3 )	1,766	10.9	( 8.4 - 14.0 )	843	14.2	( 11.1 - 18.1 )	918
<b>Age</b>									
15 or younger	12.7	( 10.2 - 15.8 )	621	9.6	( 6.8 - 13.4 )	278	15.8	( 11.8 - 20.9 )	340
16 or 17	13.0	( 9.9 - 16.7 )	932	12.2	( 8.4 - 17.4 )	440	13.7	( 10.1 - 18.3 )	491
18 or older	10.4	( 6.1 - 17.2 )	212	9.8	( 4.9 - 18.6 )	125	-	-	87
<b>Grade</b>									
9th	12.9	( 9.2 - 17.7 )	384	8.8	( 5.3 - 14.4 )	184	17.3	( 11.4 - 25.6 )	198
10th	13.5	( 10.5 - 17.2 )	604	11.7	( 8.0 - 16.8 )	288	15.4	( 11.5 - 20.3 )	314
11th	14.2	( 10.8 - 18.3 )	418	14.3	( 9.1 - 21.7 )	195	14.0	( 10.0 - 19.3 )	223
12th	9.3	( 5.6 - 15.0 )	344	9.1	( 5.3 - 15.2 )	168	9.5	( 4.6 - 18.4 )	175
<b>Race/Ethnicity</b>									
Black*	13.6	( 8.3 - 21.5 )	203	-	-	87	12.1	( 6.8 - 20.6 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	11.7	( 9.3 - 14.7 )	1,340	9.8	( 7.5 - 12.7 )	646	13.8	( 10.2 - 18.4 )	692
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 11 students who were excluded from the analysis for QN25.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.8	( 7.0 - 10.9 )	1,511	8.4	( 6.3 - 11.2 )	706	9.1	( 6.5 - 12.7 )	802
<b>Age</b>									
15 or younger	9.1	( 6.5 - 12.6 )	541	7.7	( 3.9 - 14.7 )	237	10.4	( 6.7 - 16.0 )	302
16 or 17	9.5	( 6.8 - 13.0 )	802	10.2	( 6.9 - 14.8 )	372	8.8	( 5.6 - 13.7 )	429
18 or older	4.6	( 2.2 - 9.6 )	168	-	-	97	-	-	71
<b>Grade</b>									
9th	10.5	( 7.4 - 14.7 )	333	8.0	( 3.7 - 16.3 )	156	13.3	( 7.9 - 21.4 )	175
10th	8.4	( 5.6 - 12.4 )	521	8.7	( 4.4 - 16.7 )	244	8.0	( 5.6 - 11.5 )	277
11th	9.1	( 5.9 - 13.8 )	353	8.9	( 4.9 - 15.8 )	162	9.3	( 5.3 - 15.8 )	191
12th	6.3	( 4.1 - 9.4 )	292	7.7	( 4.5 - 12.9 )	139	5.0	( 2.8 - 8.6 )	152
<b>Race/Ethnicity</b>									
Black*	8.8	( 6.0 - 12.7 )	165	-	-	69	-	-	96
Hispanic/Latino	-	-	80	-	-	39	-	-	41
White*	8.2	( 6.3 - 10.6 )	1,166	8.0	( 5.7 - 11.2 )	555	8.5	( 5.7 - 12.4 )	609
All other races	-	-	34	-	-	14	-	-	19
Multiple races	-	-	42	-	-	18	-	-	24

Note: There were 266 students who were excluded from the analysis for QN26.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN27: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.5	( 2.5 - 4.8 )	1,502	3.8	( 2.2 - 6.2 )	699	3.2	( 2.1 - 4.8 )	801
<b>Age</b>									
15 or younger	3.6	( 2.4 - 5.3 )	537	3.9	( 1.7 - 8.5 )	235	3.4	( 1.7 - 6.7 )	301
16 or 17	3.4	( 2.2 - 5.3 )	798	3.6	( 1.8 - 7.1 )	368	3.3	( 1.7 - 6.4 )	429
18 or older	3.2	( 1.4 - 7.0 )	167	-	-	96	-	-	71
<b>Grade</b>									
9th	3.1	( 1.7 - 5.6 )	328	2.8	( 0.6 - 12.1 )	153	3.4	( 1.4 - 8.2 )	174
10th	4.2	( 2.6 - 6.7 )	520	4.6	( 2.0 - 9.9 )	243	3.8	( 2.5 - 5.7 )	277
11th	3.5	( 1.8 - 6.9 )	350	3.6	( 1.1 - 11.5 )	159	3.5	( 1.5 - 7.8 )	191
12th	2.8	( 1.4 - 5.6 )	292	4.2	( 1.5 - 11.7 )	139	1.5	( 0.4 - 5.8 )	152
<b>Race/Ethnicity</b>									
Black*	3.2	( 1.5 - 6.8 )	163	-	-	68	-	-	95
Hispanic/Latino	-	-	78	-	-	37	-	-	41
White*	3.3	( 2.3 - 4.8 )	1,161	3.8	( 2.1 - 6.6 )	551	2.9	( 1.8 - 4.6 )	608
All other races	-	-	33	-	-	14	-	-	19
Multiple races	-	-	43	-	-	18	-	-	25

Note: There were 275 students who were excluded from the analysis for QN27.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	59.0	( 53.9 - 64.0 )	1,690	61.1	( 55.3 - 66.6 )	803	57.1	( 50.6 - 63.3 )	885
<b>Age</b>									
15 or younger	48.2	( 42.0 - 54.4 )	599	50.5	( 42.8 - 58.3 )	267	46.1	( 37.4 - 55.0 )	330
16 or 17	65.3	( 60.1 - 70.2 )	891	66.9	( 60.8 - 72.5 )	421	63.7	( 56.7 - 70.2 )	470
18 or older	66.0	( 53.9 - 76.3 )	200	67.3	( 53.1 - 78.9 )	115	-	-	85
<b>Grade</b>									
9th	49.6	( 41.5 - 57.7 )	371	53.4	( 43.9 - 62.6 )	177	45.7	( 34.1 - 57.9 )	192
10th	56.5	( 50.8 - 62.0 )	584	58.0	( 51.9 - 64.0 )	278	54.9	( 47.2 - 62.4 )	306
11th	71.1	( 64.7 - 76.8 )	395	72.5	( 64.1 - 79.6 )	186	69.7	( 59.1 - 78.6 )	209
12th	61.8	( 51.8 - 70.9 )	326	63.5	( 50.2 - 75.1 )	155	60.2	( 49.7 - 69.9 )	171
<b>Race/Ethnicity</b>									
Black*	55.7	( 43.5 - 67.2 )	186	-	-	83	49.6	( 36.2 - 63.1 )	103
Hispanic/Latino	-	-	90	-	-	47	-	-	43
White*	59.1	( 53.5 - 64.5 )	1,298	60.6	( 54.4 - 66.5 )	619	57.7	( 50.8 - 64.3 )	678
All other races	-	-	38	-	-	20	-	-	17
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 87 students who were excluded from the analysis for QN28.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.3	( 16.4 - 22.6 )	1,668	20.9	( 17.1 - 25.2 )	792	17.7	( 14.2 - 21.9 )	873
<b>Age</b>									
15 or younger	18.4	( 14.4 - 23.2 )	590	18.7	( 13.9 - 24.8 )	262	18.1	( 12.9 - 24.9 )	325
16 or 17	19.5	( 16.8 - 22.6 )	881	20.9	( 17.1 - 25.4 )	415	18.1	( 14.7 - 22.2 )	466
18 or older	21.0	( 13.1 - 31.9 )	197	25.6	( 15.8 - 38.8 )	115	-	-	82
<b>Grade</b>									
9th	20.1	( 14.5 - 27.1 )	363	22.2	( 14.4 - 32.5 )	172	17.8	( 11.5 - 26.7 )	189
10th	19.9	( 16.4 - 24.1 )	576	19.3	( 14.9 - 24.6 )	273	20.7	( 15.2 - 27.7 )	302
11th	22.2	( 17.6 - 27.7 )	392	26.1	( 19.4 - 34.0 )	185	18.3	( 12.5 - 26.2 )	207
12th	14.6	( 9.4 - 22.2 )	323	15.5	( 7.9 - 28.0 )	155	13.9	( 8.2 - 22.4 )	168
<b>Race/Ethnicity</b>									
Black*	17.0	( 11.1 - 25.3 )	186	-	-	83	14.5	( 8.4 - 23.7 )	102
Hispanic/Latino	-	-	88	-	-	45	-	-	43
White*	19.2	( 16.0 - 22.8 )	1,279	20.6	( 16.7 - 25.1 )	610	17.8	( 13.8 - 22.5 )	668
All other races	-	-	39	-	-	20	-	-	18
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 109 students who were excluded from the analysis for QN29.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	26.1	( 22.2 - 30.4 )	1,656	29.1	( 25.2 - 33.3 )	786	23.1	( 18.0 - 29.2 )	866
<b>Age</b>									
15 or younger	19.6	( 15.8 - 24.2 )	591	21.8	( 16.9 - 27.7 )	263	17.7	( 12.0 - 25.4 )	326
16 or 17	28.6	( 24.1 - 33.6 )	869	31.6	( 26.5 - 37.2 )	411	25.7	( 20.3 - 31.8 )	457
18 or older	35.1	( 26.3 - 45.1 )	195	38.3	( 27.0 - 51.1 )	112	-	-	83
<b>Grade</b>									
9th	22.2	( 16.4 - 29.3 )	363	25.8	( 19.3 - 33.6 )	174	18.4	( 10.6 - 29.9 )	188
10th	22.8	( 17.9 - 28.6 )	576	22.6	( 17.4 - 28.8 )	274	23.1	( 16.1 - 31.9 )	300
11th	34.0	( 28.6 - 39.8 )	387	38.7	( 31.0 - 46.9 )	180	29.2	( 22.0 - 37.7 )	207
12th	27.3	( 20.1 - 35.9 )	317	31.9	( 22.3 - 43.4 )	152	23.1	( 15.7 - 32.6 )	164
<b>Race/Ethnicity</b>									
Black*	17.2	( 9.7 - 28.8 )	191	-	-	82	11.7	( 6.3 - 20.7 )	108
Hispanic/Latino	-	-	85	-	-	44	-	-	41
White*	27.1	( 22.6 - 32.2 )	1,269	29.8	( 25.1 - 34.9 )	609	24.4	( 18.7 - 31.3 )	658
All other races	-	-	41	-	-	19	-	-	21
Multiple races	-	-	46	-	-	18	-	-	28

Note: There were 121 students who were excluded from the analysis for QN30.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNFRSIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.0	( 9.3 - 15.3 )	1,656	12.1	( 9.0 - 16.0 )	786	12.0	( 8.8 - 16.1 )	866
<b>Age</b>									
15 or younger	6.6	( 4.5 - 9.5 )	591	5.5	( 3.0 - 10.1 )	263	7.7	( 4.8 - 12.0 )	326
16 or 17	14.0	( 10.5 - 18.4 )	869	14.0	( 9.5 - 20.0 )	411	14.1	( 10.4 - 18.8 )	457
18 or older	20.0	( 14.0 - 27.6 )	195	21.7	( 15.2 - 30.1 )	112	-	-	83
<b>Grade</b>									
9th	8.0	( 5.2 - 12.0 )	363	7.0	( 3.8 - 12.5 )	174	9.1	( 5.1 - 16.0 )	188
10th	9.4	( 6.4 - 13.6 )	576	9.4	( 6.1 - 14.2 )	274	9.5	( 6.0 - 14.7 )	300
11th	17.9	( 13.1 - 24.0 )	387	17.7	( 10.4 - 28.4 )	180	18.2	( 12.9 - 25.0 )	207
12th	14.4	( 9.8 - 20.8 )	317	16.9	( 11.3 - 24.7 )	152	12.2	( 7.0 - 20.3 )	164
<b>Race/Ethnicity</b>									
Black*	4.6	( 2.3 - 9.2 )	191	-	-	82	5.4	( 2.6 - 11.0 )	108
Hispanic/Latino	-	-	85	-	-	44	-	-	41
White*	12.8	( 9.7 - 16.7 )	1,269	12.9	( 9.4 - 17.6 )	609	12.7	( 9.2 - 17.4 )	658
All other races	-	-	41	-	-	19	-	-	21
Multiple races	-	-	46	-	-	18	-	-	28

Note: There were 121 students who were excluded from the analysis for QNFRSIG.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN31: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.8	( 10.1 - 18.6 )	419	17.9	( 12.9 - 24.3 )	221	8.5	( 4.3 - 15.9 )	198
<b>Age</b>									
15 or younger	11.9	( 6.1 - 21.7 )	115	-	-	55	-	-	60
16 or 17	12.6	( 7.8 - 19.8 )	241	15.0	( 9.0 - 23.9 )	126	9.6	( 4.0 - 21.5 )	115
18 or older	-	-	63	-	-	40	-	-	23
<b>Grade</b>									
9th	-	-	78	-	-	42	-	-	36
10th	14.3	( 8.2 - 24.0 )	133	-	-	64	-	-	69
11th	15.8	( 9.1 - 26.1 )	127	-	-	69	-	-	58
12th	-	-	80	-	-	45	-	-	35
<b>Race/Ethnicity</b>									
Black*	-	-	32	-	-	19	-	-	13
Hispanic/Latino	-	-	25	-	-	13	-	-	12
White*	14.8	( 10.8 - 19.9 )	335	19.3	( 14.1 - 25.9 )	177	8.9	( 4.4 - 17.2 )	158
All other races	-	-	5	-	-	3	-	-	2
Multiple races	-	-	16	-	-	7	-	-	9

Note: There were 1358 students who were excluded from the analysis for QN31.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN32: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

	Percentage	<b>Total</b> 95% confidence interval	N	Percentage	<b>Male</b> 95% confidence interval	N	Percentage	<b>Female</b> 95% confidence interval	N
Total	12.5	( 8.0 - 19.0 )	358	13.9	( 8.0 - 23.1 )	182	10.7	( 6.7 - 16.7 )	176
<b>Age</b>									
15 or younger	6.7	( 2.8 - 14.9 )	117	-	-	57	-	-	60
16 or 17	15.5	( 10.1 - 23.2 )	241	16.2	( 9.2 - 27.1 )	125	14.6	( 9.3 - 22.3 )	116
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	-	-	77	-	-	41	-	-	36
10th	13.9	( 9.0 - 20.9 )	131	-	-	62	-	-	69
11th	17.0	( 9.8 - 27.8 )	118	-	-	62	-	-	56
12th	-	-	32	-	-	17	-	-	15
<b>Race/Ethnicity</b>									
Black*	-	-	28	-	-	15	-	-	13
Hispanic/Latino	-	-	24	-	-	13	-	-	11
White*	12.2	( 7.4 - 19.3 )	280	14.2	( 7.7 - 24.5 )	142	9.8	( 5.8 - 16.1 )	138
All other races	-	-	5	-	-	3	-	-	2
Multiple races	-	-	14	-	-	6	-	-	8

Note: There were 1419 students who were excluded from the analysis for QN32.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.4	( 7.3 - 12.0 )	1,725	10.9	( 8.2 - 14.3 )	821	7.9	( 5.3 - 11.6 )	899
<b>Age</b>									
15 or younger	5.9	( 4.0 - 8.5 )	610	6.7	( 4.3 - 10.4 )	273	5.0	( 2.5 - 9.8 )	334
16 or 17	10.8	( 8.3 - 14.0 )	907	12.2	( 9.2 - 16.0 )	429	9.5	( 6.3 - 14.2 )	477
18 or older	14.0	( 9.7 - 19.8 )	207	16.6	( 11.0 - 24.2 )	119	-	-	88
<b>Grade</b>									
9th	7.5	( 4.6 - 12.0 )	377	8.3	( 4.5 - 14.6 )	180	6.8	( 2.7 - 16.0 )	195
10th	8.2	( 5.7 - 11.6 )	593	8.6	( 5.5 - 13.3 )	283	7.7	( 4.9 - 12.0 )	308
11th	13.3	( 9.7 - 17.9 )	403	15.0	( 9.7 - 22.5 )	188	11.6	( 7.7 - 17.1 )	215
12th	9.5	( 5.9 - 14.9 )	338	13.4	( 8.3 - 20.9 )	163	5.9	( 2.9 - 11.6 )	174
<b>Race/Ethnicity</b>									
Black*	4.7	( 2.8 - 7.9 )	197	-	-	84	5.0	( 2.4 - 10.1 )	112
Hispanic/Latino	-	-	90	-	-	47	-	-	43
White*	9.8	( 7.5 - 12.7 )	1,315	11.7	( 8.6 - 15.6 )	634	7.8	( 5.0 - 11.9 )	679
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 52 students who were excluded from the analysis for QN33.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.0	( 16.2 - 24.4 )	1,694	20.3	( 15.5 - 26.0 )	804	19.8	( 15.3 - 25.1 )	887
<b>Age</b>									
15 or younger	12.8	( 8.9 - 18.1 )	600	11.5	( 7.0 - 18.5 )	269	14.0	( 9.4 - 20.3 )	328
16 or 17	22.3	( 18.3 - 26.8 )	892	22.8	( 17.7 - 28.8 )	417	21.7	( 16.9 - 27.5 )	475
18 or older	31.9	( 23.6 - 41.5 )	202	32.9	( 24.3 - 42.9 )	118	-	-	84
<b>Grade</b>									
9th	13.6	( 8.9 - 20.3 )	374	13.3	( 7.3 - 23.1 )	180	14.0	( 8.5 - 22.2 )	192
10th	19.2	( 14.7 - 24.6 )	581	18.2	( 13.2 - 24.7 )	273	20.3	( 14.4 - 27.7 )	307
11th	26.8	( 21.2 - 33.2 )	398	28.2	( 20.1 - 38.1 )	188	25.3	( 17.8 - 34.6 )	210
12th	22.4	( 16.3 - 30.0 )	327	24.1	( 15.8 - 35.0 )	156	20.8	( 13.5 - 30.6 )	171
<b>Race/Ethnicity</b>									
Black*	8.9	( 5.0 - 15.3 )	190	-	-	85	9.9	( 5.3 - 17.9 )	104
Hispanic/Latino	-	-	90	-	-	46	-	-	44
White*	21.1	( 16.9 - 26.1 )	1,296	21.6	( 16.2 - 28.2 )	620	20.7	( 15.9 - 26.5 )	675
All other races	-	-	42	-	-	21	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 83 students who were excluded from the analysis for QN34.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN35: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	57.1	( 50.7 - 63.2 )	412	50.7	( 44.1 - 57.4 )	215	65.1	( 56.2 - 73.0 )	197
<b>Age</b>									
15 or younger	55.1	( 44.8 - 65.1 )	114	-	-	55	-	-	59
16 or 17	57.2	( 50.5 - 63.6 )	237	50.5	( 41.0 - 60.0 )	122	65.2	( 53.5 - 75.4 )	115
18 or older	-	-	61	-	-	38	-	-	23
<b>Grade</b>									
9th	-	-	78	-	-	42	-	-	36
10th	59.5	( 49.7 - 68.6 )	129	-	-	61	-	-	68
11th	58.3	( 49.7 - 66.4 )	125	-	-	67	-	-	58
12th	-	-	79	-	-	44	-	-	35
<b>Race/Ethnicity</b>									
Black*	-	-	31	-	-	18	-	-	13
Hispanic/Latino	-	-	24	-	-	12	-	-	12
White*	56.3	( 49.9 - 62.5 )	330	48.6	( 42.0 - 55.3 )	173	66.0	( 57.2 - 73.8 )	157
All other races	-	-	5	-	-	3	-	-	2
Multiple races	-	-	16	-	-	7	-	-	9

Note: There were 1365 students who were excluded from the analysis for QN35.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.2	( 11.9 - 16.8 )	1,730	24.7	( 21.2 - 28.6 )	819	3.3	( 1.9 - 5.8 )	906
<b>Age</b>									
15 or younger	14.8	( 11.6 - 18.6 )	617	26.8	( 22.3 - 31.9 )	275	3.0	( 1.2 - 7.5 )	339
16 or 17	13.6	( 11.0 - 16.8 )	910	23.8	( 19.5 - 28.7 )	428	3.5	( 1.9 - 6.4 )	481
18 or older	14.5	( 8.8 - 23.1 )	202	22.6	( 13.9 - 34.5 )	116	-	-	86
<b>Grade</b>									
9th	16.0	( 11.7 - 21.5 )	382	26.7	( 20.8 - 33.4 )	182	4.3	( 1.3 - 13.0 )	198
10th	15.2	( 11.5 - 19.8 )	591	26.6	( 21.4 - 32.5 )	278	3.3	( 1.4 - 7.6 )	311
11th	14.5	( 10.3 - 20.2 )	408	26.9	( 19.9 - 35.1 )	191	2.0	( 0.7 - 5.7 )	217
12th	10.2	( 6.5 - 15.5 )	333	17.7	( 11.1 - 27.1 )	160	3.2	( 1.3 - 7.7 )	172
<b>Race/Ethnicity</b>									
Black*	5.0	( 2.1 - 11.4 )	198	-	-	84	0.0	( - - - )	113
Hispanic/Latino	-	-	92	-	-	50	-	-	42
White*	15.3	( 12.9 - 18.1 )	1,318	26.4	( 22.5 - 30.7 )	632	3.6	( 2.0 - 6.4 )	684
All other races	-	-	41	-	-	18	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 47 students who were excluded from the analysis for QN36.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.3	( 7.8 - 11.2 )	1,755	16.8	( 14.2 - 19.8 )	836	1.5	( 0.8 - 3.0 )	914
<b>Age</b>									
15 or younger	10.2	( 7.8 - 13.3 )	620	18.8	( 15.0 - 23.3 )	277	1.8	( 0.6 - 5.3 )	340
16 or 17	8.6	( 6.6 - 11.2 )	925	16.0	( 12.3 - 20.5 )	437	1.2	( 0.5 - 3.1 )	487
18 or older	9.6	( 5.4 - 16.3 )	209	15.0	( 8.6 - 24.9 )	122	-	-	87
<b>Grade</b>									
9th	11.8	( 8.4 - 16.4 )	383	20.4	( 15.1 - 27.1 )	183	2.4	( 0.8 - 7.3 )	198
10th	8.8	( 6.1 - 12.4 )	601	15.9	( 11.5 - 21.5 )	286	1.2	( 0.4 - 3.7 )	313
11th	10.5	( 6.8 - 15.8 )	415	19.5	( 12.6 - 28.8 )	195	1.4	( 0.3 - 5.6 )	220
12th	5.5	( 3.1 - 9.8 )	340	10.3	( 5.9 - 17.5 )	164	1.0	( 0.2 - 5.5 )	175
<b>Race/Ethnicity</b>									
Black*	3.0	( 1.0 - 8.1 )	203	-	-	88	0.0	( - - - )	114
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	10.4	( 8.6 - 12.5 )	1,334	18.6	( 15.4 - 22.1 )	643	1.7	( 0.9 - 3.4 )	689
All other races	-	-	42	-	-	19	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 22 students who were excluded from the analysis for QN37.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	17.2	( 15.0 - 19.6 )	1,769	24.6	( 21.2 - 28.4 )	847	9.5	( 7.5 - 12.0 )	917
<b>Age</b>									
15 or younger	11.4	( 9.0 - 14.4 )	621	17.7	( 13.5 - 22.7 )	279	5.3	( 3.3 - 8.5 )	339
16 or 17	19.3	( 16.3 - 22.7 )	934	26.6	( 22.3 - 31.3 )	443	12.0	( 9.0 - 15.9 )	490
18 or older	25.5	( 19.5 - 32.6 )	213	34.7	( 26.1 - 44.4 )	125	-	-	88
<b>Grade</b>									
9th	13.6	( 9.5 - 19.2 )	385	19.2	( 13.1 - 27.3 )	185	7.5	( 4.5 - 12.2 )	198
10th	14.1	( 10.8 - 18.3 )	603	20.1	( 14.8 - 26.7 )	289	7.7	( 4.5 - 12.9 )	312
11th	20.7	( 16.8 - 25.4 )	421	29.4	( 23.7 - 36.0 )	198	11.9	( 7.1 - 19.3 )	223
12th	21.2	( 17.0 - 26.0 )	345	31.6	( 24.1 - 40.2 )	168	11.2	( 7.0 - 17.3 )	176
<b>Race/Ethnicity</b>									
Black*	16.7	( 11.5 - 23.6 )	206	-	-	90	12.2	( 7.6 - 19.1 )	115
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	17.0	( 14.4 - 19.9 )	1,342	24.8	( 20.8 - 29.3 )	649	8.7	( 6.5 - 11.4 )	691
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 8 students who were excluded from the analysis for QN38.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	33.5	( 29.5 - 37.7 )	1,620	42.0	( 37.8 - 46.3 )	759	24.9	( 19.7 - 31.1 )	857
<b>Age</b>									
15 or younger	26.9	( 22.2 - 32.2 )	584	36.7	( 30.8 - 43.0 )	258	17.8	( 12.1 - 25.4 )	324
16 or 17	36.5	( 31.9 - 41.5 )	847	43.9	( 37.9 - 50.2 )	395	29.3	( 23.6 - 35.7 )	451
18 or older	40.8	( 31.2 - 51.3 )	188	48.8	( 37.4 - 60.4 )	106	-	-	82
<b>Grade</b>									
9th	29.6	( 23.1 - 37.2 )	358	40.4	( 33.4 - 47.8 )	170	18.1	( 10.5 - 29.5 )	187
10th	31.1	( 24.9 - 38.0 )	563	37.2	( 30.2 - 44.8 )	264	24.8	( 17.0 - 34.7 )	297
11th	40.6	( 34.9 - 46.7 )	379	47.9	( 40.0 - 56.0 )	174	33.4	( 26.5 - 41.2 )	205
12th	33.8	( 26.0 - 42.5 )	308	43.5	( 33.5 - 54.2 )	146	25.1	( 16.9 - 35.5 )	161
<b>Race/Ethnicity</b>									
Black*	21.3	( 13.0 - 33.0 )	184	-	-	76	14.8	( 8.9 - 23.8 )	107
Hispanic/Latino	-	-	82	-	-	42	-	-	40
White*	34.9	( 30.2 - 40.0 )	1,247	43.7	( 38.6 - 49.0 )	594	26.0	( 19.9 - 33.1 )	651
All other races	-	-	38	-	-	16	-	-	21
Multiple races	-	-	46	-	-	18	-	-	28

Note: There were 157 students who were excluded from the analysis for QNANYTOB.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	69.3	( 66.2 - 72.3 )	1,699	69.5	( 65.3 - 73.4 )	804	69.0	( 64.0 - 73.7 )	892
<b>Age</b>									
15 or younger	63.3	( 58.5 - 67.9 )	600	64.8	( 58.5 - 70.7 )	267	61.6	( 53.5 - 69.1 )	332
16 or 17	73.1	( 69.1 - 76.7 )	895	71.3	( 65.7 - 76.4 )	418	74.6	( 69.6 - 79.1 )	476
18 or older	72.2	( 62.3 - 80.3 )	203	74.7	( 61.8 - 84.4 )	119	-	-	84
<b>Grade</b>									
9th	61.9	( 56.4 - 67.1 )	374	63.8	( 55.8 - 71.0 )	180	59.4	( 48.2 - 69.7 )	193
10th	69.2	( 65.1 - 73.1 )	579	70.8	( 65.1 - 76.0 )	274	67.7	( 62.0 - 72.8 )	304
11th	75.7	( 69.8 - 80.8 )	400	73.6	( 64.9 - 80.8 )	185	77.8	( 71.1 - 83.3 )	215
12th	72.4	( 63.5 - 79.8 )	335	71.3	( 61.2 - 79.6 )	161	73.3	( 60.9 - 82.9 )	173
<b>Race/Ethnicity</b>									
Black*	60.5	( 49.2 - 70.8 )	193	-	-	83	58.4	( 47.7 - 68.4 )	110
Hispanic/Latino	-	-	89	-	-	49	-	-	40
White*	70.4	( 67.1 - 73.6 )	1,300	70.5	( 65.8 - 74.7 )	620	70.3	( 64.8 - 75.2 )	678
All other races	-	-	39	-	-	19	-	-	19
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 78 students who were excluded from the analysis for QN39.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	21.7	( 18.7 - 25.0 )	1,762	24.4	( 20.7 - 28.6 )	843	18.9	( 15.7 - 22.6 )	914
<b>Age</b>									
15 or younger	26.1	( 21.3 - 31.5 )	616	27.3	( 22.5 - 32.8 )	276	25.2	( 19.9 - 31.3 )	337
16 or 17	19.2	( 15.7 - 23.2 )	932	22.1	( 17.1 - 28.1 )	442	16.2	( 12.4 - 20.9 )	489
18 or older	19.0	( 13.8 - 25.5 )	213	25.1	( 17.9 - 34.0 )	125	-	-	88
<b>Grade</b>									
9th	26.7	( 20.4 - 34.0 )	378	27.9	( 21.8 - 34.9 )	181	25.6	( 18.0 - 35.1 )	195
10th	23.6	( 20.1 - 27.6 )	603	28.1	( 22.4 - 34.6 )	288	18.8	( 14.4 - 24.2 )	313
11th	20.8	( 15.9 - 26.8 )	419	22.9	( 14.7 - 33.8 )	197	18.7	( 14.1 - 24.6 )	222
12th	13.5	( 10.2 - 17.7 )	346	16.8	( 12.1 - 23.0 )	169	10.4	( 6.3 - 16.8 )	176
<b>Race/Ethnicity</b>									
Black*	19.6	( 15.1 - 25.1 )	203	-	-	88	19.2	( 13.5 - 26.4 )	114
Hispanic/Latino	-	-	92	-	-	49	-	-	43
White*	21.5	( 18.3 - 25.2 )	1,342	24.5	( 20.6 - 29.0 )	648	18.4	( 14.8 - 22.6 )	692
All other races	-	-	43	-	-	22	-	-	19
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 15 students who were excluded from the analysis for QN40.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	37.8	( 35.1 - 40.5 )	1,593	40.4	( 36.6 - 44.4 )	747	35.2	( 30.6 - 40.1 )	843
<b>Age</b>									
15 or younger	33.5	( 28.9 - 38.5 )	563	37.7	( 31.3 - 44.5 )	246	29.8	( 23.6 - 36.8 )	316
16 or 17	39.9	( 36.7 - 43.3 )	842	40.8	( 36.2 - 45.7 )	395	39.2	( 34.2 - 44.4 )	446
18 or older	41.5	( 33.8 - 49.7 )	187	45.8	( 34.2 - 57.9 )	106	-	-	81
<b>Grade</b>									
9th	35.4	( 29.5 - 41.8 )	345	40.4	( 33.8 - 47.4 )	166	30.3	( 21.1 - 41.3 )	178
10th	34.9	( 30.2 - 39.8 )	551	36.6	( 30.7 - 42.8 )	255	33.1	( 27.2 - 39.7 )	295
11th	40.5	( 35.1 - 46.2 )	367	40.7	( 33.2 - 48.6 )	170	40.3	( 33.1 - 48.0 )	197
12th	41.2	( 35.2 - 47.4 )	319	44.9	( 35.0 - 55.2 )	151	38.0	( 29.1 - 47.7 )	167
<b>Race/Ethnicity</b>									
Black*	31.2	( 21.6 - 42.8 )	184	-	-	79	30.4	( 18.5 - 45.8 )	105
Hispanic/Latino	-	-	84	-	-	45	-	-	39
White*	38.5	( 35.6 - 41.5 )	1,220	41.6	( 37.0 - 46.3 )	580	35.5	( 30.5 - 40.9 )	638
All other races	-	-	34	-	-	15	-	-	18
Multiple races	-	-	46	-	-	17	-	-	29

Note: There were 184 students who were excluded from the analysis for QN41.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.6	( 21.2 - 26.2 )	1,695	26.6	( 23.6 - 29.9 )	800	20.6	( 17.3 - 24.3 )	892
<b>Age</b>									
15 or younger	19.2	( 16.3 - 22.6 )	600	21.7	( 17.7 - 26.3 )	264	17.0	( 12.9 - 21.9 )	335
16 or 17	26.2	( 22.8 - 29.8 )	893	28.2	( 24.2 - 32.6 )	422	24.2	( 19.4 - 29.7 )	470
18 or older	26.2	( 19.1 - 34.8 )	201	33.0	( 24.0 - 43.5 )	114	-	-	87
<b>Grade</b>									
9th	21.3	( 17.4 - 25.8 )	373	25.0	( 19.7 - 31.1 )	175	17.5	( 11.5 - 25.7 )	197
10th	21.4	( 17.5 - 26.0 )	577	23.8	( 18.7 - 29.8 )	272	18.9	( 13.3 - 26.2 )	304
11th	25.4	( 20.3 - 31.4 )	395	26.5	( 19.1 - 35.5 )	186	24.3	( 18.1 - 31.9 )	209
12th	27.5	( 21.6 - 34.3 )	336	32.5	( 23.2 - 43.4 )	161	22.9	( 16.7 - 30.6 )	174
<b>Race/Ethnicity</b>									
Black*	15.6	( 7.9 - 28.4 )	195	-	-	83	14.1	( 5.5 - 31.5 )	112
Hispanic/Latino	-	-	89	-	-	47	-	-	42
White*	24.6	( 22.0 - 27.3 )	1,294	27.7	( 24.3 - 31.5 )	619	21.3	( 17.8 - 25.3 )	673
All other races	-	-	41	-	-	20	-	-	20
Multiple races	-	-	48	-	-	18	-	-	30

Note: There were 82 students who were excluded from the analysis for QN42.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN43: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	38.7	( 33.7 - 44.0 )	591	30.3	( 24.8 - 36.5 )	291	48.5	( 42.0 - 55.1 )	300
<b>Age</b>									
15 or younger	37.1	( 28.9 - 46.1 )	185	-	-	90	-	-	95
16 or 17	41.7	( 35.8 - 47.9 )	333	33.2	( 25.9 - 41.3 )	156	50.6	( 43.0 - 58.1 )	177
18 or older	-	-	73	-	-	45	-	-	28
<b>Grade</b>									
9th	35.0	( 24.6 - 47.0 )	120	-	-	64	-	-	56
10th	41.4	( 33.6 - 49.6 )	191	-	-	93	-	-	98
11th	37.3	( 30.1 - 45.1 )	147	-	-	67	-	-	80
12th	41.8	( 31.3 - 53.1 )	129	-	-	65	-	-	64
<b>Race/Ethnicity</b>									
Black*	-	-	59	-	-	26	-	-	33
Hispanic/Latino	-	-	29	-	-	15	-	-	14
White*	39.1	( 33.9 - 44.4 )	459	29.9	( 24.7 - 35.6 )	233	50.2	( 43.0 - 57.5 )	226
All other races	-	-	11	-	-	4	-	-	7
Multiple races	-	-	24	-	-	8	-	-	16

Note: There were 1186 students who were excluded from the analysis for QN43.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN44: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.2	( 3.7 - 7.3 )	1,720	7.2	( 4.9 - 10.4 )	817	3.2	( 1.8 - 5.6 )	900
<b>Age</b>									
15 or younger	5.3	( 3.4 - 8.2 )	604	8.5	( 4.8 - 14.5 )	269	2.3	( 0.9 - 5.7 )	334
16 or 17	5.0	( 3.4 - 7.3 )	911	6.3	( 4.4 - 9.1 )	431	3.7	( 2.0 - 6.8 )	479
18 or older	5.7	( 3.4 - 9.5 )	204	6.9	( 3.7 - 12.5 )	117	-	-	87
<b>Grade</b>									
9th	6.8	( 4.0 - 11.5 )	373	9.6	( 4.6 - 19.0 )	180	3.8	( 1.6 - 8.8 )	192
10th	4.4	( 2.3 - 8.1 )	591	6.7	( 3.8 - 11.7 )	279	1.9	( 0.6 - 5.7 )	311
11th	5.3	( 3.5 - 7.9 )	405	7.0	( 4.4 - 10.9 )	190	3.6	( 1.5 - 8.6 )	215
12th	3.7	( 2.1 - 6.7 )	336	4.4	( 2.3 - 8.2 )	160	3.1	( 1.0 - 9.6 )	175
<b>Race/Ethnicity</b>									
Black*	6.7	( 2.7 - 15.7 )	195	-	-	84	4.5	( 1.4 - 13.9 )	111
Hispanic/Latino	-	-	88	-	-	47	-	-	41
White*	4.9	( 3.3 - 7.1 )	1,318	6.9	( 4.4 - 10.6 )	634	2.8	( 1.4 - 5.3 )	682
All other races	-	-	40	-	-	19	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 57 students who were excluded from the analysis for QN44.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN45: Percentage of students who used marijuana one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	31.4	( 27.2 - 35.9 )	1,683	34.4	( 29.6 - 39.5 )	791	28.5	( 23.7 - 33.8 )	888
<b>Age</b>									
15 or younger	21.9	( 17.8 - 26.7 )	598	26.2	( 20.3 - 33.0 )	266	17.9	( 13.8 - 22.9 )	330
16 or 17	36.3	( 31.5 - 41.5 )	887	37.0	( 30.6 - 43.9 )	411	35.8	( 30.4 - 41.6 )	475
18 or older	39.7	( 31.7 - 48.3 )	197	45.6	( 37.0 - 54.5 )	114	-	-	83
<b>Grade</b>									
9th	22.2	( 16.6 - 28.9 )	371	28.0	( 20.9 - 36.4 )	176	15.9	( 9.5 - 25.5 )	193
10th	28.9	( 22.8 - 35.9 )	577	29.7	( 22.4 - 38.2 )	272	28.1	( 21.2 - 36.2 )	304
11th	43.0	( 35.3 - 51.2 )	396	45.0	( 33.0 - 57.7 )	180	41.1	( 33.1 - 49.6 )	216
12th	34.5	( 27.3 - 42.5 )	325	38.1	( 30.2 - 46.7 )	155	31.4	( 22.1 - 42.5 )	169
<b>Race/Ethnicity</b>									
Black*	37.7	( 30.4 - 45.5 )	187	-	-	78	33.0	( 22.9 - 44.9 )	109
Hispanic/Latino	-	-	87	-	-	47	-	-	40
White*	30.4	( 26.1 - 35.1 )	1,292	33.3	( 28.4 - 38.6 )	614	27.5	( 22.5 - 33.1 )	676
All other races	-	-	39	-	-	18	-	-	19
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 94 students who were excluded from the analysis for QN45.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN46: Percentage of students who tried marijuana for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.2	( 6.9 - 12.1 )	1,721	11.4	( 8.1 - 15.6 )	811	6.9	( 4.8 - 9.8 )	905
<b>Age</b>									
15 or younger	8.5	( 5.9 - 12.2 )	607	10.4	( 6.6 - 16.0 )	267	6.8	( 4.1 - 11.0 )	337
16 or 17	9.1	( 6.6 - 12.4 )	907	11.0	( 7.5 - 15.8 )	424	7.2	( 4.7 - 10.9 )	482
18 or older	11.1	( 6.6 - 18.3 )	206	14.7	( 8.5 - 24.5 )	120	-	-	86
<b>Grade</b>									
9th	9.0	( 6.0 - 13.4 )	376	11.0	( 6.7 - 17.8 )	177	6.8	( 3.8 - 12.0 )	197
10th	10.8	( 7.5 - 15.3 )	588	12.5	( 8.2 - 18.6 )	276	9.0	( 5.8 - 13.8 )	310
11th	10.8	( 6.9 - 16.3 )	406	14.9	( 8.8 - 24.2 )	187	6.6	( 3.6 - 12.1 )	219
12th	5.8	( 3.5 - 9.4 )	337	6.6	( 3.4 - 12.2 )	163	5.0	( 2.2 - 11.2 )	173
<b>Race/Ethnicity</b>									
Black*	12.3	( 8.2 - 18.0 )	195	-	-	82	10.7	( 5.7 - 19.4 )	112
Hispanic/Latino	-	-	89	-	-	46	-	-	43
White*	8.7	( 6.3 - 11.9 )	1,317	11.0	( 7.5 - 15.7 )	630	6.3	( 4.2 - 9.2 )	685
All other races	-	-	41	-	-	19	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 56 students who were excluded from the analysis for QN46.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN47: Percentage of students who used marijuana one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	16.1	( 13.9 - 18.6 )	1,711	19.6	( 17.0 - 22.6 )	810	12.5	( 9.5 - 16.3 )	896
<b>Age</b>									
15 or younger	11.5	( 9.5 - 13.7 )	603	16.2	( 13.1 - 19.8 )	266	6.9	( 4.5 - 10.5 )	334
16 or 17	18.4	( 15.3 - 22.0 )	906	20.8	( 16.8 - 25.6 )	427	16.0	( 11.9 - 21.2 )	478
18 or older	20.5	( 14.2 - 28.8 )	201	23.8	( 15.5 - 34.8 )	117	-	-	84
<b>Grade</b>									
9th	12.9	( 10.4 - 15.9 )	374	19.3	( 16.1 - 22.9 )	178	5.9	( 3.0 - 11.2 )	194
10th	14.4	( 11.6 - 17.8 )	590	16.3	( 12.9 - 20.5 )	278	12.4	( 8.2 - 18.4 )	310
11th	21.7	( 16.9 - 27.4 )	401	23.4	( 17.1 - 31.3 )	186	20.0	( 15.0 - 26.2 )	215
12th	16.4	( 12.0 - 21.9 )	332	20.0	( 13.2 - 29.2 )	160	13.0	( 8.3 - 19.7 )	171
<b>Race/Ethnicity</b>									
Black*	21.3	( 14.9 - 29.6 )	194	-	-	82	20.4	( 12.0 - 32.5 )	111
Hispanic/Latino	-	-	89	-	-	47	-	-	42
White*	15.2	( 12.8 - 18.0 )	1,309	19.3	( 16.0 - 22.9 )	630	10.9	( 8.2 - 14.4 )	677
All other races	-	-	41	-	-	18	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 66 students who were excluded from the analysis for QN47.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN48: Percentage of students who used marijuana on school property one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.1	( 2.2 - 4.4 )	1,736	4.1	( 2.7 - 6.2 )	823	2.0	( 1.1 - 3.6 )	908
<b>Age</b>									
15 or younger	2.6	( 1.5 - 4.5 )	610	3.3	( 1.3 - 8.4 )	270	1.8	( 0.7 - 4.6 )	337
16 or 17	3.1	( 1.8 - 5.1 )	916	4.1	( 2.3 - 7.1 )	431	2.1	( 1.1 - 4.1 )	484
18 or older	4.4	( 2.3 - 8.5 )	209	5.9	( 2.8 - 11.8 )	122	-	-	87
<b>Grade</b>									
9th	3.2	( 1.8 - 5.5 )	379	4.3	( 1.6 - 11.0 )	180	1.9	( 0.7 - 5.3 )	197
10th	2.5	( 1.3 - 4.9 )	594	2.9	( 1.4 - 5.7 )	281	2.1	( 0.8 - 5.6 )	311
11th	3.6	( 1.9 - 6.6 )	411	4.5	( 2.3 - 8.5 )	191	2.7	( 1.2 - 6.0 )	220
12th	3.0	( 1.5 - 5.6 )	338	4.7	( 2.5 - 8.7 )	163	1.3	( 0.3 - 5.0 )	174
<b>Race/Ethnicity</b>									
Black*	5.3	( 3.0 - 8.9 )	199	-	-	84	1.6	( 0.5 - 4.5 )	114
Hispanic/Latino	-	-	90	-	-	48	-	-	42
White*	2.5	( 1.6 - 3.9 )	1,325	3.2	( 1.9 - 5.2 )	637	1.9	( 0.9 - 3.7 )	686
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	49	-	-	18	-	-	31

Note: There were 41 students who were excluded from the analysis for QN48.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.0	( 4.2 - 8.5 )	1,768	7.1	( 4.6 - 10.7 )	846	5.0	( 3.0 - 8.0 )	918
<b>Age</b>									
15 or younger	5.4	( 3.5 - 8.2 )	620	6.0	( 3.3 - 10.6 )	280	4.8	( 2.5 - 9.3 )	338
16 or 17	5.9	( 4.1 - 8.3 )	934	7.2	( 4.5 - 11.4 )	441	4.6	( 2.7 - 8.0 )	492
18 or older	8.3	( 4.3 - 15.3 )	213	9.2	( 4.2 - 19.1 )	125	-	-	88
<b>Grade</b>									
9th	5.0	( 2.7 - 9.2 )	383	5.2	( 1.8 - 14.1 )	184	4.8	( 1.9 - 11.9 )	197
10th	7.0	( 4.2 - 11.6 )	602	8.2	( 5.0 - 13.2 )	287	5.7	( 2.8 - 11.3 )	314
11th	6.4	( 3.6 - 11.2 )	422	7.6	( 3.2 - 16.8 )	199	5.2	( 2.4 - 10.9 )	223
12th	5.7	( 3.3 - 9.8 )	345	7.5	( 4.1 - 13.2 )	168	4.1	( 1.3 - 11.9 )	176
<b>Race/Ethnicity</b>									
Black*	3.2	( 1.1 - 8.8 )	203	-	-	88	1.3	( 0.3 - 6.4 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	5.9	( 4.0 - 8.6 )	1,343	6.6	( 4.0 - 10.7 )	648	5.1	( 3.1 - 8.3 )	693
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 9 students who were excluded from the analysis for QN49.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.4	( 10.9 - 16.2 )	1,761	13.6	( 10.4 - 17.5 )	840	13.2	( 10.3 - 16.8 )	917
<b>Age</b>									
15 or younger	13.1	( 9.9 - 17.1 )	619	12.6	( 8.5 - 18.3 )	279	13.6	( 9.0 - 20.0 )	338
16 or 17	14.4	( 11.5 - 17.8 )	930	15.5	( 11.5 - 20.6 )	438	13.3	( 9.9 - 17.7 )	491
18 or older	10.3	( 5.7 - 17.9 )	211	9.6	( 4.1 - 20.7 )	123	-	-	88
<b>Grade</b>									
9th	13.6	( 9.4 - 19.4 )	383	13.7	( 8.6 - 21.2 )	184	13.5	( 7.4 - 23.6 )	197
10th	13.6	( 11.2 - 16.4 )	601	12.4	( 9.1 - 16.8 )	286	14.8	( 12.1 - 17.9 )	314
11th	17.8	( 12.8 - 24.1 )	418	20.3	( 13.0 - 30.4 )	196	15.2	( 9.7 - 23.1 )	222
12th	8.0	( 4.9 - 12.9 )	343	7.4	( 3.9 - 13.3 )	166	8.7	( 4.7 - 15.6 )	176
<b>Race/Ethnicity</b>									
Black*	9.6	( 6.4 - 14.2 )	202	-	-	88	7.2	( 3.8 - 13.2 )	114
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	13.3	( 10.7 - 16.4 )	1,338	13.1	( 9.9 - 17.2 )	643	13.6	( 10.2 - 17.8 )	693
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 16 students who were excluded from the analysis for QN51.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN52: Percentage of students who used heroin one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.6	( 2.4 - 5.4 )	1,769	5.0	( 3.0 - 8.2 )	846	2.0	( 1.1 - 3.8 )	919
<b>Age</b>									
15 or younger	3.5	( 2.1 - 5.8 )	621	5.5	( 2.6 - 11.3 )	280	1.4	( 0.5 - 3.8 )	339
16 or 17	3.2	( 2.0 - 5.2 )	934	3.9	( 2.2 - 6.8 )	441	2.6	( 1.3 - 4.8 )	492
18 or older	5.1	( 2.4 - 10.6 )	213	7.5	( 3.5 - 15.3 )	125	-	-	88
<b>Grade</b>									
9th	3.7	( 1.7 - 7.8 )	384	5.7	( 1.9 - 16.0 )	184	1.3	( 0.3 - 4.7 )	198
10th	3.8	( 1.8 - 7.8 )	602	5.4	( 2.8 - 10.1 )	287	2.2	( 0.8 - 6.1 )	314
11th	4.0	( 2.3 - 6.8 )	422	5.4	( 2.7 - 10.5 )	199	2.5	( 1.0 - 6.3 )	223
12th	2.2	( 1.1 - 4.5 )	345	2.6	( 1.1 - 5.9 )	168	1.9	( 0.5 - 6.1 )	176
<b>Race/Ethnicity</b>									
Black*	2.2	( 0.6 - 7.9 )	203	-	-	88	0.0	( - - - )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	3.3	( 2.1 - 5.3 )	1,344	4.5	( 2.4 - 8.4 )	648	2.1	( 1.0 - 4.2 )	694
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 8 students who were excluded from the analysis for QN52.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN53: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.9	( 3.6 - 6.7 )	1,767	6.0	( 4.0 - 8.9 )	844	3.7	( 2.5 - 5.5 )	919
<b>Age</b>									
15 or younger	4.7	( 3.3 - 6.7 )	620	5.8	( 3.0 - 11.1 )	279	3.6	( 1.8 - 7.1 )	339
16 or 17	5.0	( 3.5 - 7.1 )	933	6.3	( 3.9 - 9.9 )	440	3.8	( 2.4 - 5.9 )	492
18 or older	4.9	( 2.3 - 10.2 )	213	5.4	( 2.2 - 13.0 )	125	-	-	88
<b>Grade</b>									
9th	4.7	( 2.5 - 8.6 )	383	5.3	( 1.9 - 14.4 )	183	3.9	( 2.2 - 7.0 )	198
10th	5.9	( 3.6 - 9.7 )	601	7.4	( 4.4 - 12.2 )	286	4.4	( 2.0 - 9.4 )	314
11th	5.6	( 2.8 - 10.8 )	422	7.9	( 3.5 - 16.5 )	199	3.2	( 1.1 - 8.9 )	223
12th	2.9	( 1.4 - 5.7 )	345	2.8	( 1.2 - 6.3 )	168	3.0	( 1.1 - 8.0 )	176
<b>Race/Ethnicity</b>									
Black*	3.1	( 1.1 - 8.0 )	203	-	-	88	1.7	( 0.2 - 12.6 )	115
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	4.7	( 3.3 - 6.6 )	1,343	5.8	( 3.5 - 9.2 )	647	3.6	( 2.2 - 5.8 )	694
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 10 students who were excluded from the analysis for QN53.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.9	( 5.0 - 9.4 )	1,765	8.2	( 5.4 - 12.1 )	843	5.5	( 3.7 - 8.3 )	918
<b>Age</b>									
15 or younger	5.2	( 3.3 - 8.1 )	618	6.1	( 2.9 - 12.5 )	277	4.3	( 2.0 - 9.0 )	339
16 or 17	6.9	( 5.0 - 9.6 )	933	8.3	( 5.6 - 12.2 )	441	5.6	( 3.5 - 8.7 )	491
18 or older	11.3	( 5.9 - 20.5 )	213	12.4	( 6.0 - 24.0 )	125	-	-	88
<b>Grade</b>									
9th	5.7	( 2.6 - 12.1 )	382	6.4	( 1.9 - 19.8 )	182	5.0	( 2.2 - 10.7 )	198
10th	5.7	( 3.6 - 9.0 )	601	6.2	( 3.8 - 9.8 )	286	5.2	( 2.4 - 11.0 )	314
11th	8.5	( 5.6 - 12.6 )	421	10.5	( 6.0 - 18.0 )	199	6.4	( 3.5 - 11.3 )	222
12th	7.5	( 4.5 - 12.3 )	345	9.8	( 5.9 - 15.7 )	168	5.4	( 2.4 - 11.6 )	176
<b>Race/Ethnicity</b>									
Black*	5.7	( 3.1 - 10.3 )	203	-	-	88	4.9	( 1.9 - 12.1 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	6.5	( 4.5 - 9.3 )	1,340	7.5	( 4.6 - 11.9 )	645	5.5	( 3.4 - 8.9 )	693
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 12 students who were excluded from the analysis for QN54.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.0	( 2.7 - 6.0 )	1,775	5.8	( 3.7 - 9.0 )	850	2.2	( 1.3 - 3.7 )	920
<b>Age</b>									
15 or younger	2.7	( 1.7 - 4.4 )	622	3.9	( 2.1 - 7.2 )	279	1.5	( 0.5 - 4.2 )	340
16 or 17	4.9	( 3.1 - 7.4 )	939	7.3	( 4.5 - 11.7 )	446	2.4	( 1.3 - 4.4 )	492
18 or older	4.6	( 1.7 - 11.4 )	213	5.3	( 1.9 - 14.0 )	125	-	-	88
<b>Grade</b>									
9th	3.9	( 2.1 - 7.2 )	386	4.9	( 2.1 - 11.2 )	185	2.8	( 1.4 - 5.4 )	199
10th	3.5	( 1.7 - 7.2 )	605	5.8	( 2.8 - 11.6 )	289	1.1	( 0.4 - 2.9 )	314
11th	6.1	( 3.9 - 9.3 )	422	8.9	( 5.4 - 14.5 )	199	3.1	( 1.4 - 7.0 )	223
12th	2.7	( 1.2 - 6.3 )	346	3.7	( 1.7 - 7.8 )	169	1.9	( 0.3 - 10.9 )	176
<b>Race/Ethnicity</b>									
Black*	4.4	( 1.9 - 10.3 )	206	-	-	90	3.3	( 1.1 - 9.6 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	3.6	( 2.3 - 5.7 )	1,346	5.4	( 3.3 - 8.8 )	650	1.8	( 0.8 - 3.7 )	694
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 2 students who were excluded from the analysis for QN55.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN56: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.5	( 2.3 - 5.1 )	1,765	4.7	( 2.8 - 7.9 )	846	2.1	( 1.1 - 4.1 )	914
<b>Age</b>									
15 or younger	3.9	( 2.2 - 6.9 )	621	6.1	( 2.6 - 13.4 )	279	1.7	( 0.6 - 4.4 )	339
16 or 17	3.1	( 2.2 - 4.4 )	931	3.6	( 2.1 - 6.0 )	442	2.7	( 1.2 - 5.6 )	488
18 or older	3.6	( 1.4 - 9.0 )	212	5.1	( 1.9 - 12.9 )	125	-	-	87
<b>Grade</b>									
9th	4.4	( 2.0 - 9.4 )	386	6.1	( 1.8 - 18.7 )	185	2.3	( 0.9 - 6.1 )	199
10th	3.3	( 2.0 - 5.6 )	604	5.4	( 3.2 - 9.0 )	289	1.2	( 0.4 - 3.6 )	313
11th	4.2	( 2.6 - 6.8 )	417	5.1	( 2.5 - 10.0 )	196	3.3	( 1.1 - 9.9 )	221
12th	1.6	( 0.7 - 3.6 )	343	1.3	( 0.4 - 4.1 )	168	1.8	( 0.5 - 6.0 )	174
<b>Race/Ethnicity</b>									
Black*	2.7	( 1.0 - 7.1 )	204	-	-	88	1.0	( 0.1 - 7.2 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	3.4	( 2.1 - 5.4 )	1,342	4.4	( 2.3 - 8.3 )	650	2.3	( 1.1 - 4.7 )	690
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 12 students who were excluded from the analysis for QN56.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	25.6	( 22.6 - 28.7 )	1,753	27.9	( 24.6 - 31.5 )	838	23.1	( 19.0 - 27.7 )	911
<b>Age</b>									
15 or younger	23.2	( 19.2 - 27.8 )	618	26.1	( 21.3 - 31.5 )	277	20.6	( 15.6 - 26.7 )	339
16 or 17	26.4	( 23.0 - 30.2 )	923	27.2	( 23.2 - 31.6 )	437	25.5	( 20.5 - 31.4 )	485
18 or older	28.7	( 22.9 - 35.4 )	211	34.6	( 27.3 - 42.6 )	124	-	-	87
<b>Grade</b>									
9th	22.3	( 17.7 - 27.6 )	381	25.0	( 19.0 - 32.2 )	183	19.3	( 13.3 - 27.3 )	197
10th	24.2	( 20.0 - 29.0 )	601	27.0	( 21.1 - 33.7 )	286	21.3	( 16.3 - 27.4 )	313
11th	29.6	( 24.8 - 34.9 )	413	28.1	( 22.5 - 34.4 )	196	31.1	( 24.4 - 38.8 )	217
12th	26.6	( 22.1 - 31.7 )	342	31.7	( 25.3 - 38.9 )	165	21.4	( 15.5 - 28.8 )	176
<b>Race/Ethnicity</b>									
Black*	27.5	( 21.3 - 34.8 )	199	-	-	86	25.4	( 18.0 - 34.5 )	112
Hispanic/Latino	-	-	94	-	-	50	-	-	44
White*	25.1	( 22.3 - 28.1 )	1,339	27.5	( 24.2 - 31.1 )	648	22.5	( 18.4 - 27.2 )	689
All other races	-	-	44	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 24 students who were excluded from the analysis for QN57.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN58: Percentage of students who ever had sexual intercourse

	Percentage	<b>Total</b> 95% confidence interval	N	Percentage	<b>Male</b> 95% confidence interval	N	Percentage	<b>Female</b> 95% confidence interval	N
Total	48.3	( 43.8 - 52.7 )	1,608	49.0	( 43.6 - 54.4 )	755	47.8	( 41.6 - 54.0 )	850
<b>Age</b>									
15 or younger	34.2	( 28.8 - 39.9 )	567	41.1	( 33.5 - 49.1 )	248	27.9	( 22.0 - 34.8 )	317
16 or 17	54.9	( 49.2 - 60.5 )	853	50.8	( 43.5 - 58.1 )	399	59.1	( 52.3 - 65.6 )	453
18 or older	63.0	( 56.9 - 68.7 )	188	61.6	( 54.1 - 68.6 )	108	-	-	80
<b>Grade</b>									
9th	36.3	( 29.0 - 44.2 )	344	46.6	( 36.9 - 56.6 )	159	25.8	( 17.6 - 36.1 )	183
10th	42.7	( 37.0 - 48.6 )	553	40.4	( 33.1 - 48.2 )	264	45.1	( 38.3 - 52.0 )	289
11th	58.1	( 50.7 - 65.2 )	388	54.0	( 43.2 - 64.5 )	178	62.1	( 53.1 - 70.4 )	210
12th	59.7	( 53.5 - 65.5 )	311	57.1	( 50.0 - 63.9 )	148	62.4	( 55.5 - 68.9 )	162
<b>Race/Ethnicity</b>									
Black*	59.1	( 52.3 - 65.6 )	178	-	-	74	50.9	( 39.6 - 62.1 )	104
Hispanic/Latino	-	-	83	-	-	42	-	-	41
White*	46.6	( 42.0 - 51.1 )	1,243	46.8	( 41.5 - 52.1 )	591	46.6	( 39.9 - 53.3 )	650
All other races	-	-	35	-	-	17	-	-	17
Multiple races	-	-	45	-	-	19	-	-	26

Note: There were 169 students who were excluded from the analysis for QN58.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.7	( 4.9 - 9.0 )	1,609	9.3	( 6.6 - 13.0 )	756	4.0	( 2.6 - 6.1 )	850
<b>Age</b>									
15 or younger	8.3	( 5.3 - 12.7 )	566	12.5	( 7.5 - 20.1 )	248	4.4	( 2.3 - 8.1 )	316
16 or 17	5.8	( 4.2 - 7.9 )	855	7.8	( 5.6 - 10.8 )	401	3.8	( 2.2 - 6.7 )	453
18 or older	5.4	( 2.8 - 10.0 )	188	6.7	( 3.2 - 13.5 )	107	-	-	81
<b>Grade</b>									
9th	9.4	( 5.4 - 16.1 )	344	13.3	( 6.7 - 24.8 )	159	5.3	( 2.6 - 10.7 )	183
10th	7.7	( 4.9 - 12.0 )	554	11.3	( 7.2 - 17.3 )	265	3.9	( 2.1 - 7.3 )	289
11th	4.4	( 2.9 - 6.7 )	389	6.0	( 3.4 - 10.6 )	179	2.8	( 1.2 - 6.5 )	210
12th	4.0	( 2.3 - 7.0 )	311	4.2	( 1.9 - 8.8 )	148	3.9	( 1.8 - 8.4 )	162
<b>Race/Ethnicity</b>									
Black*	12.8	( 7.7 - 20.5 )	181	-	-	77	5.7	( 1.8 - 16.5 )	104
Hispanic/Latino	-	-	83	-	-	42	-	-	41
White*	5.5	( 3.8 - 7.8 )	1,242	7.4	( 4.9 - 11.0 )	590	3.5	( 2.2 - 5.6 )	650
All other races	-	-	35	-	-	17	-	-	17
Multiple races	-	-	43	-	-	18	-	-	25

Note: There were 168 students who were excluded from the analysis for QN59.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more people during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.7	( 10.6 - 15.2 )	1,612	14.7	( 11.6 - 18.5 )	759	10.7	( 8.1 - 14.0 )	850
<b>Age</b>									
15 or younger	8.3	( 5.7 - 11.9 )	569	11.6	( 7.4 - 17.6 )	249	5.2	( 3.5 - 7.8 )	318
16 or 17	13.2	( 10.7 - 16.2 )	855	13.1	( 10.3 - 16.6 )	403	13.3	( 9.4 - 18.5 )	451
18 or older	23.6	( 15.5 - 34.2 )	188	27.6	( 19.0 - 38.3 )	107	-	-	81
<b>Grade</b>									
9th	8.0	( 4.9 - 12.7 )	345	12.1	( 7.3 - 19.3 )	160	3.7	( 1.5 - 8.4 )	183
10th	11.6	( 8.6 - 15.4 )	554	13.2	( 9.5 - 18.0 )	265	9.9	( 6.9 - 14.0 )	289
11th	14.4	( 10.8 - 19.0 )	390	13.7	( 9.5 - 19.3 )	180	15.1	( 9.4 - 23.4 )	210
12th	17.7	( 12.2 - 25.0 )	312	20.2	( 13.5 - 29.1 )	149	15.5	( 9.3 - 24.6 )	162
<b>Race/Ethnicity</b>									
Black*	18.7	( 12.1 - 27.9 )	180	-	-	76	13.1	( 6.5 - 24.6 )	104
Hispanic/Latino	-	-	83	-	-	42	-	-	41
White*	11.8	( 9.5 - 14.5 )	1,246	13.3	( 10.0 - 17.6 )	594	10.2	( 7.3 - 14.1 )	650
All other races	-	-	35	-	-	17	-	-	17
Multiple races	-	-	43	-	-	18	-	-	25

Note: There were 165 students who were excluded from the analysis for QN60.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN61: Percentage of students who had sexual intercourse with one or more people during the past three months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	33.6	( 29.8 - 37.5 )	1,608	31.2	( 26.3 - 36.6 )	755	36.1	( 29.9 - 42.7 )	850
<b>Age</b>									
15 or younger	22.8	( 18.2 - 28.2 )	567	27.4	( 20.3 - 36.0 )	248	18.5	( 13.0 - 25.7 )	317
16 or 17	38.9	( 33.7 - 44.4 )	853	32.1	( 26.0 - 38.9 )	400	45.7	( 38.2 - 53.4 )	452
18 or older	43.8	( 37.7 - 50.1 )	188	37.2	( 30.5 - 44.4 )	107	-	-	81
<b>Grade</b>									
9th	22.1	( 16.9 - 28.4 )	343	28.1	( 20.3 - 37.5 )	159	15.9	( 9.2 - 25.9 )	182
10th	29.8	( 24.3 - 36.0 )	555	28.6	( 21.3 - 37.1 )	265	31.2	( 24.4 - 38.8 )	290
11th	43.2	( 36.2 - 50.5 )	387	32.5	( 23.5 - 42.9 )	177	53.5	( 44.2 - 62.6 )	210
12th	42.1	( 36.1 - 48.3 )	312	36.6	( 31.1 - 42.5 )	149	47.5	( 37.1 - 58.1 )	162
<b>Race/Ethnicity</b>									
Black*	40.5	( 34.3 - 47.0 )	179	-	-	75	42.8	( 32.0 - 54.4 )	104
Hispanic/Latino	-	-	82	-	-	41	-	-	41
White*	32.5	( 28.5 - 36.8 )	1,243	30.4	( 25.2 - 36.1 )	592	34.9	( 28.3 - 42.1 )	649
All other races	-	-	35	-	-	17	-	-	17
Multiple races	-	-	44	-	-	18	-	-	26

Note: There were 169 students who were excluded from the analysis for QN61.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN62: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	22.9	( 18.8 - 27.6 )	540	28.6	( 21.3 - 37.2 )	229	18.0	( 14.5 - 22.1 )	310
<b>Age</b>									
15 or younger	26.9	( 20.1 - 35.0 )	136	-	-	70	-	-	65
16 or 17	22.0	( 18.7 - 25.7 )	321	25.6	( 19.9 - 32.3 )	119	19.6	( 15.2 - 24.9 )	202
18 or older	-	-	83	-	-	40	-	-	43
<b>Grade</b>									
9th	-	-	75	-	-	43	-	-	31
10th	20.8	( 15.1 - 28.1 )	164	-	-	76	-	-	88
11th	21.6	( 16.5 - 27.8 )	164	-	-	54	17.4	( 11.3 - 25.7 )	110
12th	19.3	( 12.2 - 29.3 )	133	-	-	53	-	-	80
<b>Race/Ethnicity</b>									
Black*	-	-	68	-	-	24	-	-	44
Hispanic/Latino	-	-	35	-	-	13	-	-	22
White*	22.4	( 17.5 - 28.2 )	402	27.9	( 19.3 - 38.4 )	175	17.5	( 13.8 - 22.0 )	227
All other races	-	-	11	-	-	8	-	-	2
Multiple races	-	-	15	-	-	5	-	-	10

Note: There were 1237 students who were excluded from the analysis for QN62.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	59.9	( 53.1 - 66.4 )	544	66.3	( 59.0 - 72.9 )	233	54.5	( 46.3 - 62.4 )	310
<b>Age</b>									
15 or younger	65.7	( 57.0 - 73.5 )	135	-	-	69	-	-	65
16 or 17	60.0	( 51.7 - 67.8 )	325	63.1	( 53.9 - 71.5 )	123	57.9	( 48.7 - 66.5 )	202
18 or older	-	-	84	-	-	41	-	-	43
<b>Grade</b>									
9th	-	-	76	-	-	44	-	-	31
10th	58.0	( 46.2 - 69.0 )	162	-	-	74	-	-	88
11th	61.8	( 52.5 - 70.3 )	167	-	-	56	62.8	( 51.3 - 73.0 )	111
12th	55.7	( 42.8 - 67.9 )	135	-	-	56	-	-	79
<b>Race/Ethnicity</b>									
Black*	-	-	71	-	-	26	-	-	45
Hispanic/Latino	-	-	33	-	-	12	-	-	21
White*	58.7	( 51.2 - 65.9 )	405	66.1	( 57.9 - 73.5 )	178	52.0	( 43.5 - 60.2 )	227
All other races	-	-	11	-	-	8	-	-	2
Multiple races	-	-	15	-	-	5	-	-	10

Note: There were 1233 students who were excluded from the analysis for QN63.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN64: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.4	( 19.6 - 27.6 )	533	19.4	( 14.8 - 25.1 )	230	26.9	( 20.9 - 33.8 )	302
<b>Age</b>									
15 or younger	13.5	( 8.8 - 20.2 )	131	-	-	67	-	-	63
16 or 17	23.9	( 19.2 - 29.4 )	319	22.7	( 14.9 - 33.0 )	122	24.8	( 18.3 - 32.6 )	197
18 or older	-	-	83	-	-	41	-	-	42
<b>Grade</b>									
9th	-	-	74	-	-	43	-	-	30
10th	21.9	( 13.7 - 33.2 )	160	-	-	74	-	-	86
11th	26.2	( 19.0 - 35.0 )	162	-	-	54	20.3	( 13.9 - 28.8 )	108
12th	31.3	( 21.4 - 43.3 )	133	-	-	56	-	-	77
<b>Race/Ethnicity</b>									
Black*	-	-	71	-	-	27	-	-	44
Hispanic/Latino	-	-	33	-	-	12	-	-	21
White*	24.1	( 19.9 - 28.9 )	394	20.7	( 15.7 - 26.8 )	173	27.2	( 20.5 - 35.1 )	221
All other races	-	-	11	-	-	8	-	-	2
Multiple races	-	-	15	-	-	5	-	-	10

Note: There were 1244 students who were excluded from the analysis for QN64.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)\*\*

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	15.6	( 13.7 - 17.7 )	1,688	14.9	( 12.6 - 17.4 )	834	16.4	( 13.7 - 19.6 )	854
<b>Age</b>									
15 or younger	17.3	( 14.0 - 21.1 )	587	17.6	( 13.6 - 22.4 )	272	16.9	( 13.0 - 21.8 )	315
16 or 17	15.4	( 13.0 - 18.1 )	894	13.9	( 11.1 - 17.3 )	438	17.0	( 13.1 - 21.7 )	456
18 or older	11.8	( 7.2 - 18.9 )	207	11.7	( 6.3 - 20.7 )	124	-	-	83
<b>Grade</b>									
9th	14.9	( 11.5 - 19.2 )	366	15.6	( 11.0 - 21.6 )	182	14.1	( 8.9 - 21.8 )	184
10th	20.1	( 17.3 - 23.1 )	570	20.1	( 15.3 - 25.8 )	285	20.1	( 15.0 - 26.3 )	285
11th	10.7	( 7.4 - 15.2 )	401	9.2	( 5.5 - 14.9 )	193	12.3	( 7.3 - 19.9 )	208
12th	15.7	( 11.7 - 20.8 )	336	12.0	( 7.2 - 19.2 )	167	19.5	( 14.3 - 26.0 )	169
<b>Race/Ethnicity</b>									
Black*	16.7	( 12.5 - 22.0 )	201	-	-	90	19.6	( 12.0 - 30.4 )	111
Hispanic/Latino	-	-	88	-	-	51	-	-	37
White*	15.4	( 13.2 - 18.0 )	1,288	14.9	( 12.2 - 18.2 )	640	16.0	( 12.8 - 19.8 )	648
All other races	-	-	36	-	-	19	-	-	17
Multiple races	-	-	48	-	-	19	-	-	29

Note: There were 89 students who were excluded from the analysis for QNOWT.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)\*\*

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	17.6	( 15.1 - 20.4 )	1,688	20.5	( 17.5 - 24.0 )	834	14.4	( 11.1 - 18.4 )	854
<b>Age</b>									
15 or younger	17.9	( 13.1 - 24.0 )	587	22.8	( 17.5 - 29.0 )	272	12.8	( 7.8 - 20.3 )	315
16 or 17	16.7	( 13.7 - 20.1 )	894	19.8	( 14.8 - 26.0 )	438	13.4	( 10.1 - 17.6 )	456
18 or older	20.4	( 15.7 - 26.1 )	207	17.7	( 13.0 - 23.5 )	124	-	-	83
<b>Grade</b>									
9th	18.0	( 12.5 - 25.4 )	366	21.6	( 16.1 - 28.4 )	182	13.8	( 7.1 - 25.1 )	184
10th	16.5	( 13.0 - 20.8 )	570	19.8	( 14.2 - 26.7 )	285	12.8	( 9.3 - 17.4 )	285
11th	18.4	( 13.3 - 24.9 )	401	24.2	( 16.9 - 33.4 )	193	12.2	( 7.6 - 19.1 )	208
12th	18.1	( 12.9 - 24.8 )	336	16.6	( 11.3 - 23.8 )	167	19.5	( 12.0 - 30.2 )	169
<b>Race/Ethnicity</b>									
Black*	22.0	( 17.4 - 27.5 )	201	-	-	90	19.1	( 13.0 - 27.2 )	111
Hispanic/Latino	-	-	88	-	-	51	-	-	37
White*	17.4	( 14.9 - 20.3 )	1,288	20.5	( 17.4 - 23.9 )	640	14.0	( 10.3 - 18.7 )	648
All other races	-	-	36	-	-	19	-	-	17
Multiple races	-	-	48	-	-	19	-	-	29

Note: There were 89 students who were excluded from the analysis for QNOBESE.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN65: Percentage of students who described themselves as slightly or very overweight

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	30.1	( 27.6 - 32.8 )	1,767	24.2	( 21.5 - 27.1 )	846	36.5	( 32.9 - 40.3 )	916
<b>Age</b>									
15 or younger	29.1	( 24.9 - 33.5 )	619	24.6	( 20.5 - 29.3 )	276	33.7	( 27.9 - 39.9 )	340
16 or 17	31.3	( 26.8 - 36.3 )	937	25.0	( 19.6 - 31.3 )	446	37.9	( 32.5 - 43.5 )	490
18 or older	28.4	( 23.3 - 34.1 )	210	20.6	( 15.6 - 26.7 )	124	-	-	86
<b>Grade</b>									
9th	26.9	( 22.1 - 32.4 )	383	24.2	( 19.9 - 29.0 )	182	30.3	( 21.2 - 41.3 )	199
10th	30.5	( 25.7 - 35.9 )	604	24.6	( 19.8 - 30.0 )	289	37.0	( 30.4 - 44.2 )	313
11th	29.3	( 22.2 - 37.6 )	422	25.2	( 17.5 - 34.9 )	199	33.5	( 24.9 - 43.5 )	223
12th	34.5	( 29.4 - 40.0 )	342	22.4	( 17.4 - 28.3 )	168	46.7	( 38.6 - 55.1 )	173
<b>Race/Ethnicity</b>									
Black*	26.1	( 19.8 - 33.5 )	204	-	-	88	28.1	( 20.6 - 37.1 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	30.7	( 27.7 - 33.8 )	1,340	24.5	( 21.4 - 28.0 )	648	37.5	( 33.3 - 41.9 )	690
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 10 students who were excluded from the analysis for QN65.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN66: Percentage of students who were trying to lose weight

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	45.9	( 43.2 - 48.7 )	1,767	32.3	( 28.1 - 36.8 )	845	60.5	( 56.2 - 64.6 )	917
<b>Age</b>									
15 or younger	50.2	( 44.8 - 55.6 )	619	36.0	( 28.5 - 44.1 )	277	64.7	( 59.5 - 69.6 )	339
16 or 17	44.8	( 40.6 - 49.1 )	937	31.8	( 26.4 - 37.7 )	445	58.1	( 51.6 - 64.3 )	491
18 or older	38.1	( 32.1 - 44.6 )	210	25.4	( 19.4 - 32.5 )	123	-	-	87
<b>Grade</b>									
9th	48.6	( 41.4 - 55.7 )	382	34.9	( 26.3 - 44.7 )	181	64.1	( 56.6 - 71.0 )	199
10th	44.3	( 39.1 - 49.6 )	604	31.4	( 26.6 - 36.7 )	289	58.3	( 50.7 - 65.4 )	313
11th	45.3	( 39.4 - 51.3 )	422	32.7	( 24.9 - 41.7 )	199	58.1	( 50.1 - 65.6 )	223
12th	45.2	( 40.5 - 49.9 )	343	28.4	( 22.3 - 35.4 )	168	61.9	( 53.0 - 70.1 )	174
<b>Race/Ethnicity</b>									
Black*	42.9	( 37.9 - 48.1 )	203	-	-	87	49.0	( 40.3 - 57.8 )	115
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	46.5	( 43.6 - 49.4 )	1,342	31.8	( 27.7 - 36.3 )	649	62.6	( 57.9 - 67.0 )	691
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 10 students who were excluded from the analysis for QN66.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN67: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	56.7	( 53.2 - 60.1 )	1,748	50.4	( 45.6 - 55.2 )	831	63.5	( 59.2 - 67.5 )	912
<b>Age</b>									
15 or younger	60.3	( 55.5 - 65.0 )	616	56.4	( 49.7 - 62.9 )	275	64.8	( 59.5 - 69.6 )	338
16 or 17	55.7	( 50.5 - 60.8 )	923	48.5	( 42.1 - 55.0 )	435	63.0	( 55.5 - 69.9 )	487
18 or older	50.0	( 43.5 - 56.4 )	208	42.1	( 33.6 - 51.1 )	121	-	-	87
<b>Grade</b>									
9th	59.5	( 53.8 - 64.9 )	380	53.9	( 45.5 - 62.1 )	181	66.2	( 60.4 - 71.6 )	197
10th	57.0	( 52.2 - 61.8 )	597	53.6	( 47.2 - 59.9 )	284	60.8	( 54.5 - 66.8 )	311
11th	55.2	( 48.1 - 62.1 )	417	46.7	( 36.8 - 56.8 )	194	63.7	( 55.0 - 71.6 )	223
12th	54.1	( 48.1 - 60.0 )	339	45.1	( 36.1 - 54.4 )	164	63.0	( 55.1 - 70.3 )	174
<b>Race/Ethnicity</b>									
Black*	56.1	( 49.1 - 62.9 )	204	-	-	88	57.9	( 48.1 - 67.2 )	115
Hispanic/Latino	-	-	92	-	-	48	-	-	44
White*	56.5	( 52.4 - 60.5 )	1,329	49.5	( 44.2 - 54.8 )	639	64.2	( 59.1 - 69.0 )	688
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	49	-	-	18	-	-	31

Note: There were 29 students who were excluded from the analysis for QN67.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN68: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	39.4	( 36.4 - 42.6 )	1,760	27.1	( 23.1 - 31.5 )	839	52.4	( 47.7 - 57.0 )	916
<b>Age</b>									
15 or younger	42.2	( 37.4 - 47.2 )	615	30.5	( 24.3 - 37.5 )	273	54.0	( 47.7 - 60.2 )	339
16 or 17	39.5	( 35.2 - 44.0 )	936	26.8	( 22.0 - 32.2 )	445	52.2	( 44.8 - 59.5 )	490
18 or older	31.1	( 25.2 - 37.8 )	208	20.2	( 13.5 - 28.9 )	121	-	-	87
<b>Grade</b>									
9th	40.7	( 35.0 - 46.6 )	376	30.8	( 23.6 - 38.9 )	177	51.8	( 43.6 - 59.9 )	197
10th	39.6	( 35.7 - 43.6 )	606	25.8	( 20.5 - 31.8 )	290	54.6	( 47.3 - 61.7 )	314
11th	36.9	( 30.7 - 43.7 )	420	25.0	( 19.1 - 32.1 )	198	49.1	( 39.5 - 58.8 )	222
12th	40.1	( 33.9 - 46.6 )	343	25.5	( 18.5 - 34.1 )	167	54.0	( 44.3 - 63.3 )	175
<b>Race/Ethnicity</b>									
Black*	33.2	( 27.1 - 39.8 )	203	-	-	87	43.0	( 30.3 - 56.8 )	115
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	40.0	( 36.8 - 43.3 )	1,335	27.3	( 22.9 - 32.1 )	643	53.6	( 48.7 - 58.3 )	690
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 17 students who were excluded from the analysis for QN68.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN69: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.5	( 10.9 - 14.2 )	1,760	9.1	( 7.2 - 11.4 )	838	16.1	( 13.9 - 18.5 )	917
<b>Age</b>									
15 or younger	14.6	( 11.9 - 17.8 )	617	9.6	( 6.7 - 13.6 )	275	19.6	( 16.0 - 23.8 )	339
16 or 17	12.4	( 10.2 - 15.0 )	933	10.1	( 7.4 - 13.7 )	441	14.7	( 11.5 - 18.7 )	491
18 or older	6.7	( 4.2 - 10.7 )	209	4.6	( 2.0 - 10.2 )	122	-	-	87
<b>Grade</b>									
9th	14.6	( 11.6 - 18.2 )	378	11.5	( 7.8 - 16.8 )	179	18.1	( 14.2 - 22.9 )	197
10th	13.1	( 10.9 - 15.8 )	605	6.5	( 4.1 - 10.3 )	289	20.2	( 16.6 - 24.4 )	314
11th	12.3	( 8.9 - 16.9 )	418	11.1	( 7.0 - 17.1 )	195	13.5	( 9.5 - 19.0 )	223
12th	9.4	( 6.3 - 13.7 )	343	6.8	( 3.6 - 12.5 )	167	12.0	( 7.5 - 18.5 )	175
<b>Race/Ethnicity</b>									
Black*	12.6	( 7.5 - 20.2 )	201	-	-	86	13.3	( 7.1 - 23.7 )	114
Hispanic/Latino	-	-	95	-	-	51	-	-	44
White*	11.9	( 10.2 - 13.8 )	1,338	7.9	( 6.0 - 10.3 )	644	16.3	( 13.9 - 19.0 )	692
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 17 students who were excluded from the analysis for QN69.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN70: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.0	( 5.3 - 9.1 )	1,740	6.5	( 4.4 - 9.4 )	828	7.5	( 5.2 - 10.8 )	907
<b>Age</b>									
15 or younger	6.3	( 4.1 - 9.5 )	605	7.3	( 4.2 - 12.4 )	268	5.4	( 3.1 - 9.3 )	334
16 or 17	7.5	( 5.5 - 10.1 )	926	6.6	( 4.0 - 10.8 )	438	8.4	( 5.4 - 12.8 )	487
18 or older	6.8	( 4.2 - 10.9 )	208	4.1	( 2.1 - 7.5 )	122	-	-	86
<b>Grade</b>									
9th	6.4	( 3.9 - 10.3 )	367	9.0	( 5.2 - 15.1 )	172	3.6	( 1.6 - 8.2 )	193
10th	6.5	( 4.6 - 9.2 )	600	4.7	( 2.7 - 8.2 )	287	8.5	( 5.5 - 13.0 )	311
11th	7.7	( 5.1 - 11.4 )	416	6.2	( 3.1 - 12.2 )	195	9.2	( 5.4 - 15.3 )	221
12th	6.8	( 4.0 - 11.2 )	341	4.6	( 2.2 - 9.2 )	166	8.9	( 4.9 - 15.6 )	174
<b>Race/Ethnicity</b>									
Black*	4.7	( 2.7 - 8.3 )	198	-	-	84	1.8	( 0.6 - 5.6 )	113
Hispanic/Latino	-	-	91	-	-	48	-	-	43
White*	6.9	( 5.2 - 9.1 )	1,329	5.7	( 3.6 - 8.7 )	641	8.2	( 5.5 - 11.9 )	686
All other races	-	-	42	-	-	21	-	-	19
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 37 students who were excluded from the analysis for QN70.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN71: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.5	( 5.1 - 8.4 )	1,738	4.8	( 3.2 - 7.3 )	828	8.2	( 6.0 - 11.2 )	905
<b>Age</b>									
15 or younger	8.3	( 6.0 - 11.5 )	616	8.3	( 4.7 - 14.3 )	276	8.1	( 5.3 - 12.2 )	337
16 or 17	5.8	( 4.4 - 7.6 )	921	3.4	( 2.0 - 5.7 )	435	8.2	( 6.1 - 10.9 )	485
18 or older	4.3	( 1.6 - 10.9 )	200	1.1	( 0.2 - 4.9 )	117	-	-	83
<b>Grade</b>									
9th	8.6	( 5.8 - 12.4 )	376	9.2	( 4.8 - 16.8 )	179	7.8	( 4.6 - 13.0 )	195
10th	6.3	( 4.4 - 8.9 )	598	4.0	( 2.3 - 6.8 )	286	8.4	( 5.6 - 12.4 )	310
11th	6.4	( 4.1 - 10.0 )	416	2.6	( 1.2 - 5.5 )	194	10.2	( 6.2 - 16.3 )	222
12th	4.2	( 2.0 - 8.7 )	332	2.1	( 0.7 - 6.5 )	161	6.2	( 2.7 - 13.7 )	170
<b>Race/Ethnicity</b>									
Black*	7.8	( 4.9 - 12.2 )	196	-	-	83	6.7	( 3.9 - 11.5 )	112
Hispanic/Latino	-	-	92	-	-	49	-	-	43
White*	5.7	( 4.3 - 7.6 )	1,327	3.7	( 2.2 - 6.3 )	641	8.0	( 5.5 - 11.4 )	684
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 39 students who were excluded from the analysis for QN71.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN72: Percentage of students who drank 100% fruit juices one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	73.9	( 71.1 - 76.5 )	1,765	72.4	( 68.1 - 76.3 )	843	75.3	( 71.8 - 78.5 )	917
<b>Age</b>									
15 or younger	72.0	( 67.3 - 76.3 )	618	70.2	( 62.4 - 76.9 )	276	73.5	( 68.4 - 78.0 )	339
16 or 17	73.3	( 69.9 - 76.4 )	937	72.1	( 67.3 - 76.4 )	444	74.4	( 69.9 - 78.4 )	492
18 or older	81.5	( 77.7 - 84.8 )	209	78.5	( 73.2 - 82.9 )	123	-	-	86
<b>Grade</b>									
9th	70.7	( 64.5 - 76.2 )	381	69.9	( 59.9 - 78.3 )	181	71.3	( 66.4 - 75.9 )	198
10th	72.7	( 68.3 - 76.7 )	605	69.7	( 64.0 - 74.8 )	289	75.9	( 69.7 - 81.1 )	314
11th	74.1	( 68.7 - 78.8 )	421	72.8	( 64.3 - 80.0 )	198	75.4	( 68.0 - 81.5 )	223
12th	78.6	( 75.4 - 81.5 )	342	78.0	( 73.4 - 82.0 )	167	79.1	( 73.7 - 83.7 )	174
<b>Race/Ethnicity</b>									
Black*	85.9	( 80.3 - 90.1 )	203	-	-	88	87.5	( 80.6 - 92.3 )	114
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	72.4	( 69.4 - 75.1 )	1,340	71.1	( 66.5 - 75.4 )	646	73.6	( 70.3 - 76.6 )	692
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 12 students who were excluded from the analysis for QN72.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN73: Percentage of students who ate fruit one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	81.2	( 78.7 - 83.5 )	1,758	79.8	( 76.9 - 82.4 )	841	82.6	( 78.4 - 86.2 )	912
<b>Age</b>									
15 or younger	81.1	( 77.2 - 84.6 )	614	79.4	( 74.1 - 83.9 )	275	82.7	( 75.8 - 87.9 )	336
16 or 17	81.2	( 77.8 - 84.2 )	934	79.8	( 75.9 - 83.2 )	443	82.6	( 77.8 - 86.6 )	490
18 or older	81.4	( 76.0 - 85.8 )	209	80.6	( 72.5 - 86.8 )	123	-	-	86
<b>Grade</b>									
9th	80.0	( 74.9 - 84.4 )	378	79.0	( 73.3 - 83.8 )	180	81.0	( 71.0 - 88.1 )	196
10th	79.6	( 75.3 - 83.3 )	603	74.9	( 68.9 - 80.1 )	289	84.6	( 79.7 - 88.5 )	312
11th	83.5	( 78.1 - 87.8 )	419	83.9	( 76.6 - 89.3 )	197	83.1	( 76.8 - 87.9 )	222
12th	82.1	( 75.7 - 87.1 )	343	82.1	( 72.6 - 88.8 )	168	82.0	( 73.3 - 88.3 )	174
<b>Race/Ethnicity</b>									
Black*	80.3	( 75.3 - 84.5 )	201	-	-	88	82.0	( 75.2 - 87.2 )	112
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	81.7	( 78.7 - 84.3 )	1,334	80.5	( 77.4 - 83.2 )	643	82.8	( 77.9 - 86.9 )	689
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 19 students who were excluded from the analysis for QN73.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN74: Percentage of students who ate green salad one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	54.4	( 51.0 - 57.7 )	1,767	49.7	( 44.9 - 54.5 )	845	59.3	( 55.6 - 62.9 )	917
<b>Age</b>									
15 or younger	52.8	( 47.1 - 58.4 )	616	46.0	( 36.7 - 55.6 )	275	59.8	( 53.7 - 65.6 )	338
16 or 17	54.8	( 51.8 - 57.7 )	939	51.0	( 47.5 - 54.5 )	446	58.5	( 53.7 - 63.1 )	492
18 or older	57.1	( 50.2 - 63.7 )	211	54.1	( 44.6 - 63.4 )	124	-	-	87
<b>Grade</b>									
9th	52.7	( 46.4 - 59.0 )	380	47.1	( 36.3 - 58.2 )	181	59.5	( 52.1 - 66.5 )	197
10th	50.7	( 46.3 - 55.2 )	606	44.4	( 36.8 - 52.2 )	290	57.4	( 52.1 - 62.4 )	314
11th	57.3	( 51.8 - 62.6 )	421	55.9	( 49.8 - 61.8 )	198	58.7	( 51.5 - 65.7 )	223
12th	57.8	( 51.4 - 64.0 )	344	53.7	( 45.0 - 62.3 )	168	61.6	( 52.4 - 70.1 )	175
<b>Race/Ethnicity</b>									
Black*	54.2	( 48.8 - 59.5 )	203	-	-	87	57.7	( 47.2 - 67.6 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	54.6	( 50.5 - 58.6 )	1,342	49.9	( 44.1 - 55.6 )	649	59.7	( 55.6 - 63.7 )	691
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 10 students who were excluded from the analysis for QN74.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN75: Percentage of students who ate potatoes one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	76.9	( 73.9 - 79.7 )	1,763	76.6	( 73.4 - 79.5 )	844	77.3	( 73.5 - 80.7 )	914
<b>Age</b>									
15 or younger	77.5	( 73.4 - 81.1 )	615	76.6	( 72.4 - 80.4 )	276	78.4	( 73.1 - 83.0 )	336
16 or 17	76.6	( 72.7 - 80.1 )	936	76.5	( 71.9 - 80.5 )	444	76.7	( 71.8 - 80.9 )	491
18 or older	76.6	( 69.7 - 82.3 )	211	76.7	( 69.8 - 82.4 )	124	-	-	87
<b>Grade</b>									
9th	77.0	( 72.5 - 81.0 )	378	75.6	( 71.9 - 78.9 )	181	78.6	( 71.0 - 84.7 )	195
10th	75.4	( 71.5 - 78.9 )	606	73.9	( 68.5 - 78.6 )	290	77.3	( 71.8 - 81.9 )	314
11th	77.4	( 72.3 - 81.8 )	419	78.8	( 72.6 - 84.0 )	197	76.0	( 69.0 - 81.8 )	222
12th	77.5	( 71.7 - 82.4 )	344	78.3	( 70.8 - 84.3 )	168	76.6	( 69.5 - 82.5 )	175
<b>Race/Ethnicity</b>									
Black*	60.9	( 54.4 - 66.9 )	203	-	-	87	64.1	( 54.4 - 72.8 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	79.2	( 75.8 - 82.2 )	1,339	79.0	( 74.7 - 82.8 )	647	79.3	( 75.6 - 82.6 )	690
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 14 students who were excluded from the analysis for QN75.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN76: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	41.4	( 37.8 - 45.1 )	1,750	41.3	( 36.5 - 46.2 )	834	41.3	( 37.5 - 45.2 )	911
<b>Age</b>									
15 or younger	42.9	( 37.1 - 48.9 )	611	41.8	( 34.1 - 49.9 )	271	43.4	( 37.0 - 50.0 )	337
16 or 17	38.6	( 35.0 - 42.2 )	930	37.3	( 32.5 - 42.4 )	440	39.7	( 35.5 - 44.0 )	489
18 or older	48.5	( 40.3 - 56.7 )	208	52.8	( 44.8 - 60.7 )	123	-	-	85
<b>Grade</b>									
9th	43.0	( 35.9 - 50.3 )	377	42.2	( 32.9 - 52.0 )	179	43.3	( 35.2 - 51.7 )	196
10th	38.5	( 33.6 - 43.6 )	598	35.6	( 30.3 - 41.2 )	284	41.4	( 34.1 - 49.0 )	312
11th	40.5	( 33.6 - 47.9 )	417	40.9	( 33.1 - 49.3 )	196	40.1	( 32.2 - 48.6 )	221
12th	43.9	( 36.9 - 51.1 )	343	47.6	( 38.3 - 57.0 )	167	39.9	( 30.3 - 50.4 )	175
<b>Race/Ethnicity</b>									
Black*	31.4	( 25.4 - 38.1 )	199	-	-	84	30.0	( 22.8 - 38.4 )	114
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	42.6	( 38.3 - 47.1 )	1,332	41.9	( 36.5 - 47.6 )	641	43.2	( 38.7 - 47.7 )	689
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 27 students who were excluded from the analysis for QN76.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN77: Percentage of students who ate other vegetables one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	78.3	( 75.2 - 81.1 )	1,765	76.6	( 73.0 - 79.8 )	845	80.2	( 76.3 - 83.6 )	915
<b>Age</b>									
15 or younger	79.5	( 75.1 - 83.3 )	614	77.4	( 71.4 - 82.5 )	275	81.7	( 76.4 - 86.0 )	336
16 or 17	77.2	( 73.4 - 80.7 )	939	75.8	( 70.8 - 80.2 )	446	78.9	( 74.0 - 83.1 )	492
18 or older	78.8	( 70.4 - 85.3 )	211	77.4	( 68.1 - 84.5 )	124	-	-	87
<b>Grade</b>									
9th	78.4	( 73.1 - 83.0 )	378	77.3	( 69.8 - 83.4 )	180	79.6	( 71.3 - 86.0 )	196
10th	75.0	( 71.0 - 78.5 )	605	71.1	( 64.7 - 76.8 )	290	79.3	( 74.4 - 83.4 )	313
11th	78.7	( 73.2 - 83.4 )	422	79.8	( 74.9 - 84.0 )	199	77.7	( 69.6 - 84.1 )	223
12th	81.8	( 74.7 - 87.2 )	344	78.9	( 70.2 - 85.6 )	168	85.1	( 77.3 - 90.5 )	175
<b>Race/Ethnicity</b>									
Black*	72.8	( 67.7 - 77.3 )	203	-	-	87	76.3	( 69.1 - 82.3 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	79.3	( 75.6 - 82.6 )	1,340	77.7	( 73.3 - 81.5 )	648	81.1	( 76.3 - 85.2 )	690
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 12 students who were excluded from the analysis for QN77.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.2	( 12.6 - 16.0 )	1,732	14.5	( 12.1 - 17.2 )	823	14.0	( 11.8 - 16.4 )	904
<b>Age</b>									
15 or younger	13.6	( 10.5 - 17.4 )	604	15.4	( 10.7 - 21.5 )	268	12.0	( 8.8 - 16.3 )	333
16 or 17	14.5	( 13.0 - 16.1 )	922	14.5	( 11.8 - 17.5 )	434	14.5	( 11.8 - 17.7 )	487
18 or older	14.7	( 10.5 - 20.1 )	205	12.4	( 7.0 - 20.9 )	121	-	-	84
<b>Grade</b>									
9th	14.1	( 10.1 - 19.3 )	373	17.5	( 12.6 - 23.8 )	177	10.4	( 6.3 - 16.7 )	194
10th	14.7	( 11.6 - 18.6 )	593	11.1	( 7.1 - 16.8 )	282	18.6	( 14.6 - 23.3 )	309
11th	13.7	( 10.9 - 17.1 )	411	15.3	( 10.9 - 21.1 )	191	12.1	( 8.9 - 16.4 )	220
12th	14.0	( 10.8 - 17.9 )	341	13.4	( 8.8 - 19.8 )	166	14.6	( 10.3 - 20.5 )	174
<b>Race/Ethnicity</b>									
Black*	18.6	( 13.6 - 25.0 )	196	-	-	84	21.4	( 15.1 - 29.4 )	111
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	13.4	( 11.5 - 15.5 )	1,319	14.3	( 11.5 - 17.6 )	632	12.5	( 10.3 - 15.2 )	685
All other races	-	-	43	-	-	21	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 45 students who were excluded from the analysis for QNFRVG.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNFRUIT: Percentage of students who ate fruits two or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	24.2	( 21.7 - 26.9 )	1,756	24.1	( 20.4 - 28.2 )	839	24.5	( 21.9 - 27.3 )	912
<b>Age</b>									
15 or younger	22.7	( 17.9 - 28.3 )	614	24.6	( 18.4 - 32.2 )	275	20.9	( 16.1 - 26.7 )	336
16 or 17	25.3	( 22.3 - 28.5 )	933	23.7	( 19.1 - 29.0 )	442	27.0	( 23.9 - 30.4 )	490
18 or older	24.3	( 18.0 - 31.9 )	208	24.1	( 17.1 - 32.9 )	122	-	-	86
<b>Grade</b>									
9th	23.1	( 16.5 - 31.5 )	378	25.1	( 17.5 - 34.7 )	180	21.2	( 13.7 - 31.3 )	196
10th	23.7	( 19.6 - 28.3 )	602	19.1	( 13.7 - 25.9 )	288	28.8	( 23.6 - 34.5 )	312
11th	24.8	( 21.5 - 28.6 )	419	24.7	( 18.6 - 31.9 )	197	25.0	( 20.3 - 30.5 )	222
12th	25.1	( 20.9 - 29.8 )	342	27.4	( 21.6 - 34.0 )	167	23.0	( 18.0 - 28.9 )	174
<b>Race/Ethnicity</b>									
Black*	30.3	( 24.4 - 36.9 )	201	-	-	88	32.7	( 24.6 - 42.0 )	112
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	23.2	( 20.3 - 26.3 )	1,333	23.4	( 19.5 - 27.8 )	642	23.1	( 20.1 - 26.3 )	689
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 21 students who were excluded from the analysis for QNFRUIT.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	10.9	( 9.4 - 12.7 )	1,744	10.7	( 8.3 - 13.6 )	830	11.2	( 9.4 - 13.2 )	909
<b>Age</b>									
15 or younger	10.7	( 8.1 - 14.1 )	607	12.4	( 7.9 - 18.7 )	269	9.2	( 6.7 - 12.5 )	335
16 or 17	10.9	( 8.9 - 13.4 )	928	10.1	( 7.7 - 13.3 )	438	11.8	( 8.6 - 15.8 )	489
18 or older	11.3	( 8.1 - 15.6 )	208	8.5	( 4.5 - 15.7 )	123	-	-	85
<b>Grade</b>									
9th	13.0	( 10.3 - 16.2 )	375	15.2	( 10.6 - 21.2 )	178	10.8	( 7.1 - 16.0 )	195
10th	10.9	( 7.8 - 15.0 )	597	8.3	( 5.0 - 13.2 )	284	13.6	( 9.8 - 18.6 )	311
11th	9.0	( 6.4 - 12.4 )	414	9.0	( 5.9 - 13.5 )	193	9.0	( 5.7 - 13.7 )	221
12th	9.9	( 7.5 - 12.8 )	343	9.2	( 5.9 - 13.9 )	167	10.6	( 7.0 - 15.7 )	175
<b>Race/Ethnicity</b>									
Black*	12.6	( 7.8 - 19.8 )	199	-	-	84	12.8	( 6.5 - 23.9 )	114
Hispanic/Latino	-	-	94	-	-	51	-	-	43
White*	10.4	( 8.6 - 12.5 )	1,327	10.3	( 7.5 - 13.9 )	638	10.6	( 8.8 - 12.8 )	687
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 33 students who were excluded from the analysis for QNVEG.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN78: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	35.7	( 32.3 - 39.3 )	1,758	39.7	( 35.0 - 44.5 )	841	31.6	( 28.1 - 35.3 )	912
<b>Age</b>									
15 or younger	33.0	( 27.6 - 38.9 )	612	33.4	( 25.2 - 42.7 )	274	32.3	( 26.8 - 38.2 )	335
16 or 17	39.5	( 36.0 - 43.0 )	935	46.8	( 41.2 - 52.4 )	444	32.2	( 28.8 - 35.8 )	490
18 or older	28.9	( 22.8 - 36.0 )	210	31.0	( 23.9 - 39.0 )	123	-	-	87
<b>Grade</b>									
9th	35.8	( 29.1 - 43.1 )	376	37.0	( 26.4 - 49.0 )	180	34.0	( 28.7 - 39.7 )	194
10th	33.0	( 28.1 - 38.3 )	603	35.7	( 30.0 - 41.8 )	289	30.2	( 24.4 - 36.7 )	312
11th	40.9	( 34.0 - 48.1 )	420	49.1	( 39.1 - 59.1 )	197	32.5	( 26.3 - 39.4 )	223
12th	34.1	( 29.1 - 39.6 )	343	39.3	( 33.6 - 45.3 )	167	29.4	( 22.6 - 37.2 )	175
<b>Race/Ethnicity</b>									
Black*	24.9	( 19.3 - 31.4 )	202	-	-	87	19.0	( 12.9 - 27.0 )	114
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	37.5	( 33.9 - 41.1 )	1,335	41.2	( 36.2 - 46.4 )	645	33.3	( 29.7 - 37.1 )	688
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 19 students who were excluded from the analysis for QN78.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN79: Percentage of students who drank three or more glasses per day of milk during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.6	( 9.7 - 13.8 )	1,754	14.7	( 12.3 - 17.5 )	837	8.4	( 6.0 - 11.5 )	912
<b>Age</b>									
15 or younger	13.0	( 10.0 - 16.7 )	612	14.8	( 10.9 - 19.9 )	272	11.3	( 7.6 - 16.5 )	337
16 or 17	10.4	( 8.2 - 13.2 )	933	15.0	( 11.4 - 19.6 )	443	5.8	( 3.9 - 8.5 )	489
18 or older	12.2	( 8.0 - 18.2 )	208	13.6	( 8.3 - 21.7 )	122	-	-	86
<b>Grade</b>									
9th	12.8	( 9.1 - 17.6 )	376	15.2	( 10.4 - 21.6 )	178	10.2	( 5.8 - 17.5 )	196
10th	12.5	( 9.4 - 16.3 )	604	14.8	( 10.8 - 20.0 )	288	10.0	( 6.9 - 14.4 )	314
11th	9.4	( 6.4 - 13.8 )	417	15.9	( 10.9 - 22.8 )	196	2.9	( 1.1 - 7.1 )	221
12th	11.7	( 7.6 - 17.5 )	341	13.4	( 8.0 - 21.4 )	167	10.1	( 5.3 - 18.4 )	173
<b>Race/Ethnicity</b>									
Black*	4.9	( 2.3 - 10.0 )	202	-	-	86	2.6	( 0.7 - 9.6 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	12.7	( 10.6 - 15.1 )	1,332	15.9	( 13.2 - 19.1 )	642	9.3	( 6.7 - 12.8 )	688
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	48	-	-	18	-	-	30

Note: There were 23 students who were excluded from the analysis for QN79.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	38.9	( 36.0 - 41.8 )	1,753	49.2	( 45.7 - 52.7 )	836	28.2	( 24.5 - 32.4 )	912
<b>Age</b>									
15 or younger	42.2	( 36.8 - 47.8 )	608	51.9	( 46.5 - 57.3 )	270	33.2	( 25.8 - 41.5 )	335
16 or 17	36.0	( 31.6 - 40.5 )	933	47.6	( 41.4 - 53.9 )	443	24.3	( 20.6 - 28.3 )	489
18 or older	40.8	( 34.3 - 47.5 )	211	48.4	( 40.4 - 56.4 )	123	-	-	88
<b>Grade</b>									
9th	44.5	( 38.5 - 50.7 )	372	52.7	( 46.5 - 58.9 )	176	36.1	( 26.6 - 46.8 )	194
10th	36.1	( 32.6 - 39.7 )	602	45.8	( 39.3 - 52.4 )	287	26.0	( 20.4 - 32.4 )	313
11th	38.1	( 31.6 - 45.0 )	421	50.5	( 41.8 - 59.2 )	198	25.5	( 19.6 - 32.4 )	223
12th	35.1	( 29.3 - 41.3 )	342	46.8	( 38.5 - 55.3 )	167	23.8	( 18.1 - 30.7 )	174
<b>Race/Ethnicity</b>									
Black*	26.2	( 20.8 - 32.5 )	201	-	-	86	21.7	( 15.9 - 28.8 )	114
Hispanic/Latino	-	-	94	-	-	52	-	-	42
White*	40.8	( 37.6 - 44.1 )	1,332	51.6	( 47.5 - 55.6 )	641	29.5	( 25.3 - 34.1 )	689
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 24 students who were excluded from the analysis for QN80.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	28.8	( 25.6 - 32.2 )	1,739	28.6	( 24.5 - 33.0 )	825	29.2	( 25.4 - 33.2 )	909
<b>Age</b>									
15 or younger	28.3	( 24.2 - 32.9 )	603	25.2	( 20.5 - 30.5 )	266	31.6	( 25.5 - 38.5 )	334
16 or 17	28.8	( 25.1 - 32.8 )	926	30.6	( 25.5 - 36.2 )	436	27.0	( 22.6 - 31.9 )	489
18 or older	30.0	( 24.8 - 35.7 )	209	29.6	( 23.4 - 36.5 )	123	-	-	86
<b>Grade</b>									
9th	27.4	( 22.3 - 33.2 )	368	26.1	( 20.4 - 32.9 )	172	29.1	( 22.0 - 37.4 )	194
10th	31.2	( 27.1 - 35.7 )	598	28.6	( 22.3 - 35.7 )	284	34.1	( 29.3 - 39.1 )	312
11th	30.1	( 25.9 - 34.7 )	416	34.6	( 29.2 - 40.5 )	195	25.5	( 19.3 - 33.0 )	221
12th	26.5	( 20.1 - 34.0 )	342	25.8	( 19.9 - 32.9 )	166	27.2	( 18.2 - 38.6 )	175
<b>Race/Ethnicity</b>									
Black*	45.1	( 38.7 - 51.6 )	197	-	-	82	45.5	( 38.9 - 52.2 )	114
Hispanic/Latino	-	-	93	-	-	51	-	-	42
White*	26.7	( 23.6 - 30.1 )	1,325	27.0	( 22.6 - 31.9 )	636	26.5	( 22.5 - 31.0 )	687
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 38 students who were excluded from the analysis for QN81.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.0	( 20.1 - 26.1 )	1,752	26.7	( 22.9 - 30.8 )	834	19.2	( 15.2 - 24.1 )	913
<b>Age</b>									
15 or younger	24.9	( 20.5 - 29.9 )	608	26.7	( 21.1 - 33.2 )	271	23.4	( 17.4 - 30.6 )	334
16 or 17	23.3	( 20.2 - 26.7 )	933	29.0	( 24.5 - 34.1 )	441	17.6	( 13.3 - 22.8 )	491
18 or older	16.4	( 10.8 - 24.2 )	210	18.9	( 12.1 - 28.2 )	122	-	-	88
<b>Grade</b>									
9th	25.8	( 19.7 - 33.0 )	371	29.3	( 23.0 - 36.5 )	176	22.3	( 14.4 - 32.8 )	193
10th	26.9	( 23.9 - 30.2 )	602	30.1	( 25.1 - 35.6 )	287	23.5	( 17.3 - 31.1 )	313
11th	22.1	( 17.4 - 27.6 )	420	26.9	( 21.4 - 33.2 )	197	17.2	( 11.3 - 25.2 )	223
12th	16.4	( 12.0 - 22.1 )	343	19.8	( 14.1 - 26.9 )	166	13.3	( 8.1 - 21.2 )	176
<b>Race/Ethnicity</b>									
Black*	26.1	( 19.0 - 34.8 )	199	-	-	83	20.9	( 14.3 - 29.5 )	115
Hispanic/Latino	-	-	93	-	-	51	-	-	42
White*	22.8	( 19.8 - 26.2 )	1,334	26.5	( 22.6 - 30.8 )	643	19.0	( 14.7 - 24.3 )	689
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 25 students who were excluded from the analysis for QN82.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	32.9	( 27.1 - 39.3 )	1,740	41.8	( 34.2 - 49.8 )	828	23.7	( 18.3 - 30.2 )	907
<b>Age</b>									
15 or younger	47.0	( 34.4 - 60.1 )	602	57.6	( 43.3 - 70.7 )	268	36.5	( 24.7 - 50.3 )	331
16 or 17	23.0	( 19.7 - 26.6 )	927	31.4	( 25.6 - 37.9 )	437	14.6	( 11.2 - 18.8 )	489
18 or older	32.5	( 25.6 - 40.1 )	210	39.2	( 31.6 - 47.3 )	123	-	-	87
<b>Grade</b>									
9th	56.1	( 41.8 - 69.4 )	365	64.9	( 52.0 - 75.8 )	173	46.2	( 29.6 - 63.6 )	190
10th	27.3	( 20.3 - 35.7 )	603	35.1	( 26.1 - 45.2 )	288	19.1	( 13.1 - 26.9 )	313
11th	18.5	( 14.0 - 24.2 )	413	27.5	( 19.2 - 37.8 )	192	9.6	( 6.7 - 13.6 )	221
12th	25.9	( 20.8 - 31.7 )	343	35.2	( 27.9 - 43.3 )	167	17.1	( 10.8 - 25.8 )	175
<b>Race/Ethnicity</b>									
Black*	31.5	( 24.5 - 39.6 )	197	-	-	82	19.3	( 14.9 - 24.5 )	114
Hispanic/Latino	-	-	92	-	-	52	-	-	40
White*	32.8	( 26.4 - 40.0 )	1,325	41.0	( 32.8 - 49.7 )	637	24.0	( 17.8 - 31.4 )	686
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 37 students who were excluded from the analysis for QN83.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.1	( 17.6 - 29.8 )	1,740	29.8	( 23.0 - 37.8 )	828	16.1	( 10.8 - 23.4 )	907
<b>Age</b>									
15 or younger	34.4	( 23.4 - 47.3 )	602	41.3	( 29.8 - 53.8 )	268	27.3	( 15.7 - 43.2 )	331
16 or 17	15.9	( 12.7 - 19.9 )	927	22.8	( 17.1 - 29.7 )	437	9.2	( 6.3 - 13.2 )	489
18 or older	19.9	( 14.0 - 27.5 )	210	26.5	( 19.0 - 35.6 )	123	-	-	87
<b>Grade</b>									
9th	41.3	( 28.3 - 55.6 )	365	46.8	( 34.5 - 59.4 )	173	34.8	( 19.0 - 54.9 )	190
10th	19.4	( 13.5 - 27.1 )	603	26.6	( 19.3 - 35.5 )	288	11.8	( 6.6 - 20.1 )	313
11th	11.2	( 7.9 - 15.7 )	413	16.8	( 11.3 - 24.3 )	192	5.7	( 3.1 - 10.3 )	221
12th	17.7	( 13.4 - 23.0 )	343	25.5	( 18.5 - 34.1 )	167	10.3	( 5.8 - 17.8 )	175
<b>Race/Ethnicity</b>									
Black*	16.5	( 9.1 - 28.0 )	197	-	-	82	8.0	( 3.4 - 17.6 )	114
Hispanic/Latino	-	-	92	-	-	52	-	-	40
White*	24.2	( 18.2 - 31.4 )	1,325	30.3	( 22.8 - 39.1 )	637	17.5	( 11.6 - 25.5 )	686
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 37 students who were excluded from the analysis for QNDLYPE.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Kentucky High School Survey  
Summary Table - Weighted Data

QN84: Percentage of students who played on one or more sports teams during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	48.2	( 44.6 - 51.8 )	1,717	51.9	( 48.3 - 55.5 )	815	44.6	( 39.9 - 49.3 )	897
<b>Age</b>									
15 or younger	50.7	( 45.9 - 55.5 )	595	56.5	( 50.1 - 62.8 )	265	45.3	( 38.9 - 51.9 )	327
16 or 17	47.4	( 42.9 - 52.0 )	913	48.9	( 42.6 - 55.3 )	429	46.0	( 40.6 - 51.5 )	483
18 or older	44.5	( 36.7 - 52.6 )	208	50.9	( 42.3 - 59.4 )	121	-	-	87
<b>Grade</b>									
9th	51.6	( 46.5 - 56.6 )	360	55.1	( 48.8 - 61.2 )	171	48.3	( 39.1 - 57.6 )	187
10th	49.2	( 43.7 - 54.8 )	591	54.3	( 46.8 - 61.6 )	279	43.8	( 36.7 - 51.2 )	310
11th	47.5	( 39.9 - 55.1 )	411	48.4	( 39.1 - 57.9 )	190	46.5	( 38.6 - 54.5 )	221
12th	43.2	( 35.5 - 51.3 )	341	47.6	( 38.7 - 56.8 )	167	39.1	( 29.4 - 49.8 )	173
<b>Race/Ethnicity</b>									
Black*	53.2	( 47.8 - 58.6 )	194	-	-	80	44.4	( 36.1 - 53.1 )	113
Hispanic/Latino	-	-	89	-	-	48	-	-	41
White*	47.7	( 43.5 - 51.9 )	1,312	50.5	( 46.0 - 55.0 )	632	44.9	( 39.5 - 50.4 )	678
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	47	-	-	17	-	-	30

Note: There were 60 students who were excluded from the analysis for QN84.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	84.9	( 82.0 - 87.3 )	1,740	82.9	( 78.9 - 86.2 )	829	87.0	( 83.5 - 89.8 )	906
<b>Age</b>									
15 or younger	83.1	( 77.9 - 87.3 )	602	79.8	( 70.9 - 86.5 )	268	86.3	( 80.2 - 90.7 )	331
16 or 17	87.1	( 84.6 - 89.2 )	930	86.1	( 82.7 - 88.9 )	439	88.0	( 83.9 - 91.2 )	490
18 or older	81.3	( 73.9 - 87.0 )	207	79.5	( 70.2 - 86.4 )	122	-	-	85
<b>Grade</b>									
9th	81.9	( 73.7 - 88.0 )	366	78.6	( 67.4 - 86.7 )	174	85.5	( 75.6 - 91.8 )	190
10th	85.3	( 81.2 - 88.6 )	599	83.8	( 77.9 - 88.3 )	285	87.0	( 82.1 - 90.7 )	312
11th	88.7	( 85.0 - 91.6 )	420	86.6	( 80.0 - 91.2 )	197	90.8	( 86.4 - 93.9 )	223
12th	84.1	( 78.0 - 88.7 )	340	83.0	( 76.0 - 88.3 )	165	85.0	( 75.2 - 91.4 )	174
<b>Race/Ethnicity</b>									
Black*	75.9	( 69.2 - 81.5 )	198	-	-	84	79.8	( 71.1 - 86.4 )	113
Hispanic/Latino	-	-	92	-	-	50	-	-	42
White*	86.4	( 83.6 - 88.8 )	1,324	84.6	( 80.8 - 87.7 )	638	88.4	( 84.5 - 91.4 )	684
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 37 students who were excluded from the analysis for QN85.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	24.3	( 22.1 - 26.6 )	1,730	24.8	( 20.9 - 29.0 )	821	23.8	( 20.7 - 27.3 )	905
<b>Age</b>									
15 or younger	24.5	( 20.8 - 28.7 )	597	24.0	( 17.5 - 31.9 )	264	25.2	( 20.1 - 31.0 )	330
16 or 17	25.2	( 22.5 - 28.2 )	926	25.9	( 21.4 - 31.0 )	438	24.6	( 20.4 - 29.3 )	488
18 or older	19.9	( 14.8 - 26.2 )	206	22.7	( 15.9 - 31.4 )	119	-	-	87
<b>Grade</b>									
9th	25.1	( 20.2 - 30.8 )	363	24.5	( 17.1 - 33.7 )	172	25.9	( 19.7 - 33.3 )	189
10th	24.9	( 21.5 - 28.6 )	596	23.1	( 19.5 - 27.1 )	282	26.9	( 20.8 - 34.0 )	312
11th	25.2	( 20.9 - 30.0 )	418	26.9	( 21.6 - 33.0 )	196	23.5	( 17.5 - 30.8 )	222
12th	21.0	( 16.8 - 26.0 )	337	24.1	( 16.0 - 34.6 )	163	18.1	( 12.9 - 24.9 )	174
<b>Race/Ethnicity</b>									
Black*	26.8	( 22.4 - 31.8 )	197	-	-	83	25.7	( 19.7 - 32.7 )	113
Hispanic/Latino	-	-	93	-	-	51	-	-	42
White*	23.8	( 21.5 - 26.3 )	1,317	24.4	( 20.3 - 29.0 )	633	23.2	( 20.0 - 26.7 )	683
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	49	-	-	18	-	-	31

Note: There were 47 students who were excluded from the analysis for QN86.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN87: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.7	( 8.4 - 11.2 )	1,725	8.7	( 6.7 - 11.1 )	820	10.8	( 8.8 - 13.3 )	901
<b>Age</b>									
15 or younger	10.0	( 7.6 - 13.0 )	597	8.9	( 5.6 - 13.8 )	264	11.1	( 7.3 - 16.5 )	330
16 or 17	10.0	( 8.4 - 11.9 )	923	8.5	( 6.0 - 11.8 )	438	11.6	( 9.0 - 14.9 )	485
18 or older	7.7	( 4.1 - 14.1 )	204	8.7	( 3.6 - 19.6 )	118	-	-	86
<b>Grade</b>									
9th	8.7	( 5.8 - 13.0 )	362	7.2	( 3.6 - 13.9 )	171	10.6	( 6.6 - 16.6 )	189
10th	12.4	( 9.5 - 16.1 )	594	9.8	( 6.5 - 14.4 )	282	15.3	( 11.1 - 20.7 )	310
11th	10.3	( 7.6 - 13.9 )	416	10.7	( 7.4 - 15.1 )	196	10.0	( 6.2 - 15.6 )	220
12th	7.1	( 4.7 - 10.5 )	337	6.8	( 3.1 - 14.3 )	163	7.4	( 4.7 - 11.4 )	174
<b>Race/Ethnicity</b>									
Black*	11.1	( 7.7 - 15.7 )	197	-	-	83	13.9	( 8.7 - 21.5 )	113
Hispanic/Latino	-	-	92	-	-	50	-	-	42
White*	9.6	( 8.3 - 11.1 )	1,316	8.7	( 6.4 - 11.7 )	633	10.6	( 8.5 - 13.2 )	682
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	48	-	-	18	-	-	30

Note: There were 52 students who were excluded from the analysis for QN87.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN88: Percentage of students who never or rarely wore a helmet when they rode an all-terrain vehicle (ATV) during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	44.6	( 39.8 - 49.5 )	1,769	48.8	( 44.4 - 53.2 )	848	40.5	( 33.9 - 47.4 )	916
<b>Age</b>									
15 or younger	43.3	( 36.6 - 50.3 )	622	46.8	( 39.6 - 54.1 )	279	40.3	( 31.6 - 49.7 )	340
16 or 17	45.4	( 40.1 - 50.7 )	935	49.1	( 44.0 - 54.2 )	445	41.7	( 34.0 - 49.8 )	489
18 or older	45.4	( 33.9 - 57.5 )	211	52.3	( 39.6 - 64.8 )	124	-	-	87
<b>Grade</b>									
9th	46.7	( 37.8 - 55.9 )	385	50.1	( 40.6 - 59.5 )	185	43.5	( 31.8 - 56.0 )	198
10th	42.1	( 37.1 - 47.3 )	604	44.9	( 37.3 - 52.7 )	289	39.3	( 33.3 - 45.8 )	313
11th	47.3	( 39.2 - 55.6 )	420	53.1	( 46.3 - 59.7 )	198	41.5	( 30.0 - 53.9 )	222
12th	41.5	( 30.7 - 53.1 )	344	45.7	( 34.3 - 57.5 )	168	37.6	( 24.2 - 53.2 )	175
<b>Race/Ethnicity</b>									
Black*	23.1	( 15.6 - 33.0 )	206	-	-	91	12.7	( 6.7 - 22.8 )	114
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	48.0	( 42.9 - 53.0 )	1,343	51.1	( 45.7 - 56.4 )	648	44.9	( 38.4 - 51.4 )	693
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 8 students who were excluded from the analysis for QN88.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN89: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.8	( 16.9 - 23.0 )	1,771	20.2	( 16.5 - 24.5 )	848	19.5	( 15.7 - 23.9 )	918
<b>Age</b>									
15 or younger	17.0	( 13.7 - 20.9 )	622	18.7	( 14.0 - 24.6 )	280	15.3	( 10.5 - 21.8 )	339
16 or 17	21.3	( 17.5 - 25.6 )	935	19.5	( 15.0 - 25.0 )	443	23.1	( 18.5 - 28.4 )	491
18 or older	22.1	( 16.2 - 29.5 )	213	25.7	( 17.2 - 36.6 )	125	-	-	88
<b>Grade</b>									
9th	18.2	( 13.5 - 24.1 )	385	20.1	( 13.5 - 28.8 )	185	16.1	( 9.6 - 25.8 )	198
10th	16.4	( 12.5 - 21.3 )	605	13.8	( 10.0 - 18.7 )	289	19.4	( 13.9 - 26.4 )	314
11th	26.1	( 20.9 - 32.1 )	419	26.1	( 18.4 - 35.6 )	197	26.2	( 20.3 - 33.0 )	222
12th	19.3	( 15.7 - 23.5 )	346	21.8	( 16.3 - 28.4 )	169	17.0	( 10.7 - 25.9 )	176
<b>Race/Ethnicity</b>									
Black*	11.8	( 6.9 - 19.3 )	205	-	-	89	10.1	( 5.6 - 17.5 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	20.4	( 17.2 - 24.0 )	1,344	20.5	( 16.4 - 25.3 )	649	20.4	( 16.0 - 25.5 )	693
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 6 students who were excluded from the analysis for QN89.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN90: Percentage of students whose partner was three or more years older the first time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.3	( 9.4 - 13.5 )	1,766	7.9	( 5.9 - 10.7 )	849	14.8	( 11.8 - 18.5 )	913
<b>Age</b>									
15 or younger	8.0	( 5.6 - 11.4 )	621	6.0	( 3.4 - 10.5 )	280	10.0	( 7.4 - 13.4 )	338
16 or 17	12.8	( 10.8 - 15.1 )	932	7.5	( 5.6 - 10.0 )	444	18.1	( 14.3 - 22.7 )	488
18 or older	14.7	( 9.6 - 22.0 )	212	13.8	( 7.7 - 23.5 )	125	-	-	87
<b>Grade</b>									
9th	8.0	( 4.8 - 13.1 )	384	7.0	( 3.5 - 13.6 )	185	9.1	( 5.1 - 15.7 )	197
10th	10.8	( 8.8 - 13.1 )	605	6.4	( 4.4 - 9.3 )	290	15.5	( 11.8 - 20.1 )	313
11th	15.6	( 12.1 - 19.8 )	418	10.8	( 7.1 - 16.1 )	198	20.6	( 14.6 - 28.2 )	220
12th	11.8	( 7.9 - 17.2 )	343	8.3	( 4.0 - 16.2 )	168	15.2	( 10.3 - 21.7 )	175
<b>Race/Ethnicity</b>									
Black*	12.2	( 8.4 - 17.3 )	206	-	-	90	10.7	( 5.4 - 20.3 )	115
Hispanic/Latino	-	-	96	-	-	52	-	-	44
White*	10.9	( 8.9 - 13.3 )	1,339	6.9	( 4.8 - 9.9 )	649	15.2	( 12.1 - 18.9 )	689
All other races	-	-	43	-	-	22	-	-	19
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 11 students who were excluded from the analysis for QN90.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Kentucky High School Survey**  
**Summary Table - Weighted Data**

QN91: Percentage of students who have ever had oral sex

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	49.1	( 45.2 - 53.1 )	1,738	50.5	( 45.9 - 55.1 )	835	47.8	( 42.7 - 52.9 )	899
<b>Age</b>									
15 or younger	37.3	( 31.9 - 43.0 )	614	40.9	( 34.5 - 47.6 )	277	33.7	( 27.0 - 41.3 )	334
16 or 17	55.3	( 50.7 - 59.8 )	915	55.7	( 49.4 - 61.8 )	436	55.0	( 49.5 - 60.4 )	478
18 or older	59.3	( 53.4 - 65.0 )	209	56.7	( 49.3 - 63.8 )	122	-	-	87
<b>Grade</b>									
9th	37.4	( 31.2 - 44.1 )	379	42.7	( 36.3 - 49.4 )	183	31.7	( 22.4 - 42.8 )	194
10th	44.9	( 39.4 - 50.5 )	593	47.0	( 39.7 - 54.3 )	286	42.5	( 35.8 - 49.5 )	306
11th	60.7	( 54.4 - 66.6 )	412	58.1	( 49.9 - 65.8 )	194	63.3	( 55.6 - 70.5 )	218
12th	57.1	( 51.3 - 62.6 )	340	57.4	( 51.6 - 63.0 )	165	57.0	( 48.8 - 64.9 )	174
<b>Race/Ethnicity</b>									
Black*	41.8	( 32.8 - 51.4 )	196	-	-	86	36.3	( 27.1 - 46.7 )	109
Hispanic/Latino	-	-	92	-	-	50	-	-	42
White*	49.7	( 45.5 - 53.8 )	1,334	50.8	( 46.0 - 55.7 )	645	48.6	( 43.1 - 54.2 )	687
All other races	-	-	40	-	-	21	-	-	18
Multiple races	-	-	48	-	-	19	-	-	29

Note: There were 39 students who were excluded from the analysis for QN91.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey

### Summary Table - Weighted Data

QN92: Percentage of students who ate breakfast on seven of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	31.9	( 28.6 - 35.3 )	1,758	35.0	( 31.0 - 39.2 )	840	28.8	( 25.5 - 32.3 )	913
<b>Age</b>									
15 or younger	33.3	( 28.0 - 39.1 )	612	36.9	( 29.7 - 44.8 )	272	30.1	( 24.6 - 36.2 )	337
16 or 17	30.7	( 27.3 - 34.2 )	936	34.5	( 30.2 - 39.0 )	445	26.9	( 23.0 - 31.2 )	490
18 or older	32.5	( 25.2 - 40.7 )	209	32.1	( 22.7 - 43.1 )	123	-	-	86
<b>Grade</b>									
9th	33.1	( 26.6 - 40.4 )	375	36.7	( 29.1 - 45.1 )	177	29.5	( 22.5 - 37.7 )	196
10th	32.8	( 29.1 - 36.7 )	604	37.6	( 31.2 - 44.4 )	289	27.8	( 22.9 - 33.3 )	313
11th	26.0	( 21.0 - 31.7 )	421	28.7	( 23.0 - 35.2 )	199	23.2	( 16.8 - 31.1 )	222
12th	35.2	( 28.7 - 42.4 )	342	36.5	( 26.4 - 47.9 )	167	34.2	( 28.0 - 41.0 )	174
<b>Race/Ethnicity</b>									
Black*	23.5	( 17.6 - 30.7 )	203	-	-	87	24.0	( 17.6 - 31.8 )	115
Hispanic/Latino	-	-	95	-	-	52	-	-	43
White*	33.0	( 29.9 - 36.3 )	1,334	36.4	( 32.7 - 40.3 )	644	29.6	( 26.1 - 33.3 )	688
All other races	-	-	44	-	-	21	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 19 students who were excluded from the analysis for QN92.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN93: Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	48.3	( 44.6 - 52.0 )	1,734	43.4	( 37.8 - 49.1 )	827	53.7	( 49.6 - 57.8 )	902
<b>Age</b>									
15 or younger	46.5	( 42.3 - 50.7 )	602	39.7	( 32.4 - 47.5 )	270	53.6	( 48.0 - 59.1 )	329
16 or 17	49.8	( 44.9 - 54.7 )	925	45.9	( 39.4 - 52.5 )	436	53.8	( 47.5 - 60.1 )	488
18 or older	47.6	( 40.0 - 55.4 )	206	43.5	( 31.8 - 56.0 )	121	-	-	85
<b>Grade</b>									
9th	45.6	( 40.3 - 51.1 )	365	40.8	( 31.2 - 51.2 )	175	51.5	( 43.8 - 59.1 )	188
10th	49.4	( 44.2 - 54.5 )	597	43.1	( 35.0 - 51.7 )	284	56.1	( 49.8 - 62.3 )	311
11th	53.3	( 48.7 - 57.9 )	419	51.1	( 42.5 - 59.6 )	196	55.6	( 49.7 - 61.3 )	223
12th	45.5	( 38.2 - 53.0 )	337	38.5	( 28.2 - 49.8 )	164	52.5	( 44.5 - 60.3 )	172
<b>Race/Ethnicity</b>									
Black*	66.9	( 59.2 - 73.9 )	196	-	-	82	70.1	( 61.7 - 77.3 )	113
Hispanic/Latino	-	-	92	-	-	50	-	-	42
White*	46.3	( 43.0 - 49.7 )	1,324	41.5	( 35.9 - 47.4 )	640	51.7	( 47.8 - 55.5 )	682
All other races	-	-	42	-	-	21	-	-	19
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 43 students who were excluded from the analysis for QN93.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN94: Percentage of students who missed school because of asthma symptoms (coughing, wheezing, or shortness of breath) on three or more days during this school year

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.0	( 4.0 - 6.3 )	1,728	4.2	( 2.9 - 5.9 )	826	5.9	( 4.4 - 7.8 )	897
<b>Age</b>									
15 or younger	4.2	( 2.6 - 6.7 )	598	3.0	( 1.6 - 5.3 )	265	5.4	( 3.1 - 9.3 )	330
16 or 17	5.2	( 4.1 - 6.6 )	922	4.4	( 2.8 - 6.9 )	440	6.0	( 4.3 - 8.3 )	481
18 or older	6.5	( 3.5 - 11.8 )	207	6.2	( 2.8 - 12.9 )	121	-	-	86
<b>Grade</b>									
9th	3.4	( 1.6 - 7.2 )	364	2.7	( 1.0 - 7.4 )	172	4.2	( 1.8 - 9.5 )	190
10th	6.7	( 4.6 - 9.7 )	594	5.5	( 3.3 - 9.1 )	285	8.1	( 4.9 - 13.1 )	307
11th	5.7	( 4.2 - 7.7 )	417	5.6	( 2.9 - 10.5 )	197	5.7	( 3.5 - 9.2 )	220
12th	4.3	( 2.1 - 8.4 )	338	2.9	( 1.0 - 8.7 )	165	5.6	( 2.6 - 11.7 )	172
<b>Race/Ethnicity</b>									
Black*	6.7	( 3.8 - 11.6 )	196	-	-	84	9.6	( 4.9 - 17.9 )	111
Hispanic/Latino	-	-	89	-	-	49	-	-	40
White*	4.7	( 3.5 - 6.2 )	1,320	4.1	( 2.7 - 6.2 )	637	5.3	( 3.8 - 7.2 )	681
All other races	-	-	43	-	-	21	-	-	20
Multiple races	-	-	49	-	-	19	-	-	30

Note: There were 49 students who were excluded from the analysis for QN94.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN95: Percentage of students who brushed their teeth on seven of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	77.3	( 74.7 - 79.7 )	1,731	69.3	( 65.3 - 73.1 )	827	85.8	( 82.8 - 88.4 )	899
<b>Age</b>									
15 or younger	74.6	( 70.3 - 78.5 )	597	61.6	( 55.7 - 67.2 )	267	87.3	( 83.2 - 90.6 )	327
16 or 17	79.9	( 76.3 - 83.1 )	925	73.6	( 67.8 - 78.7 )	438	86.4	( 82.7 - 89.3 )	486
18 or older	75.0	( 67.4 - 81.3 )	208	72.9	( 63.4 - 80.6 )	122	-	-	86
<b>Grade</b>									
9th	73.0	( 66.9 - 78.3 )	360	59.5	( 52.6 - 66.0 )	172	87.7	( 82.0 - 91.7 )	186
10th	78.6	( 74.5 - 82.2 )	595	72.2	( 65.1 - 78.3 )	284	85.9	( 81.5 - 89.3 )	309
11th	78.6	( 73.7 - 82.9 )	419	71.8	( 64.6 - 78.1 )	197	85.5	( 80.3 - 89.6 )	222
12th	79.9	( 73.4 - 85.1 )	342	75.4	( 66.0 - 82.8 )	166	84.6	( 75.3 - 90.9 )	175
<b>Race/Ethnicity</b>									
Black*	79.0	( 72.3 - 84.5 )	199	-	-	84	82.9	( 77.1 - 87.4 )	114
Hispanic/Latino	-	-	92	-	-	51	-	-	41
White*	77.9	( 75.1 - 80.5 )	1,314	69.7	( 65.4 - 73.6 )	635	86.7	( 83.7 - 89.3 )	677
All other races	-	-	45	-	-	22	-	-	21
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 46 students who were excluded from the analysis for QN95.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN96: Percentage of students who flossed their teeth on seven of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.7	( 12.8 - 16.8 )	1,738	12.0	( 9.6 - 14.8 )	833	17.7	( 15.2 - 20.5 )	900
<b>Age</b>									
15 or younger	14.7	( 12.0 - 17.8 )	599	12.7	( 9.9 - 16.1 )	268	16.7	( 12.6 - 21.9 )	328
16 or 17	14.5	( 11.9 - 17.6 )	930	10.6	( 7.5 - 14.7 )	443	18.6	( 15.1 - 22.8 )	486
18 or older	15.6	( 10.1 - 23.3 )	208	14.9	( 8.8 - 24.1 )	122	-	-	86
<b>Grade</b>									
9th	15.1	( 11.5 - 19.6 )	363	13.7	( 10.4 - 17.8 )	173	16.9	( 11.6 - 23.9 )	188
10th	14.8	( 12.0 - 18.1 )	601	10.1	( 7.2 - 14.1 )	288	19.9	( 15.6 - 25.1 )	311
11th	15.2	( 11.4 - 20.0 )	418	11.1	( 6.7 - 18.0 )	198	19.4	( 15.0 - 24.8 )	220
12th	13.4	( 8.9 - 19.7 )	340	13.0	( 7.8 - 20.8 )	166	14.0	( 8.6 - 21.7 )	173
<b>Race/Ethnicity</b>									
Black*	21.8	( 16.1 - 28.8 )	199	-	-	84	23.1	( 15.8 - 32.6 )	114
Hispanic/Latino	-	-	94	-	-	52	-	-	42
White*	13.9	( 12.1 - 15.9 )	1,321	10.7	( 8.3 - 13.7 )	640	17.4	( 14.8 - 20.3 )	679
All other races	-	-	44	-	-	22	-	-	20
Multiple races	-	-	50	-	-	19	-	-	31

Note: There were 39 students who were excluded from the analysis for QN96.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Kentucky High School Survey Summary Table - Weighted Data

QN97: Percentage of students who last saw a dentist during the past 12 months for a check-up, exam, teeth cleaning, or other dental work

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	69.0	( 64.3 - 73.4 )	1,708	69.6	( 64.3 - 74.4 )	822	68.4	( 62.9 - 73.5 )	881
<b>Age</b>									
15 or younger	69.3	( 63.5 - 74.6 )	587	70.5	( 63.1 - 76.9 )	265	67.9	( 60.9 - 74.2 )	319
16 or 17	69.3	( 64.0 - 74.1 )	913	68.9	( 63.3 - 73.9 )	436	69.9	( 63.4 - 75.7 )	476
18 or older	67.1	( 58.0 - 75.0 )	207	69.8	( 58.4 - 79.2 )	121	-	-	86
<b>Grade</b>									
9th	68.8	( 61.9 - 74.9 )	356	70.6	( 62.0 - 77.9 )	172	66.5	( 57.2 - 74.7 )	182
10th	67.2	( 62.1 - 71.9 )	589	65.6	( 58.8 - 71.9 )	284	68.9	( 62.8 - 74.3 )	303
11th	67.0	( 59.4 - 73.8 )	411	65.2	( 56.4 - 73.1 )	195	68.8	( 58.5 - 77.5 )	216
12th	73.8	( 66.4 - 80.0 )	337	77.8	( 69.1 - 84.6 )	163	70.3	( 59.8 - 79.0 )	173
<b>Race/Ethnicity</b>									
Black*	57.2	( 49.1 - 65.0 )	191	-	-	81	57.2	( 48.2 - 65.8 )	109
Hispanic/Latino	-	-	93	-	-	52	-	-	41
White*	71.2	( 66.2 - 75.6 )	1,305	71.6	( 66.2 - 76.5 )	636	70.7	( 64.4 - 76.2 )	667
All other races	-	-	43	-	-	21	-	-	20
Multiple races	-	-	48	-	-	19	-	-	29

Note: There were 69 students who were excluded from the analysis for QN97.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.